





PiattoSlab with matt, gloss, and woodgrain finishes



SenzaJ Pull matt and gloss finishes



SerenoShaker with matt finish



True Handleless slab with matt, gloss, and woodgrain finishes

 Handles pg 26

 Sinks & Taps pg 34

 Bins & Trays pg 38

 Accessories & Hinges pg 39

 Wirework pg 40

 Lighting pg 41

 Terms & Conditions pg 43




Piatto Slab with matt, gloss, and woodgrain finishes

















Cashmere

Charcoal

Senza

Sereno - Light grey

A handleless contemporary J pull with minimalist lines in matt and gloss finishes.

modern narrow frame width in three matt options.

Dove Grey

Dove Grey Cashmere

Textured







Dove Grey

Gloss





White Gloss

Sereno Shaker with matt finish








MODUS



Senza - Charcoal Matt







COLLECTION

CABINETS AND DRAWERS ORDER CODES

Specification

CABINET DIMENSIONS

| UNIT TYPE: | HEIGHT: | DEPTH: | BACK: | VOID: | UNIT TYPE: | HEIGHT: | DEPTH: | BACK: | VOID: | UNIT TYPE: | HEIGHT: | DEPTH: | BACK: | |
|------------|-----------|--------|-------|-------|------------|-----------|--------|-------|-------|-------------|---------|--------|-------|-----|
| BASE UNITS | 3 | | | | WALL UNIT | S | | | | FULL HEIGHT | UNITS | | | |
| Belfast | 455/495mm | 560mm | 18mm | 41mm | Bridging | 288/360mm | 300mm | 8mm | N/A | Appliance & | 1970mm | 560mm | 0 | 20 |
| Standard | 720mm | 560mm | 18mm | 41mm | Standard | 720mm | 300mm | 8mm | N/A | Larder | 19/UMM | 56UMM | 8mm | 281 |


CABINET SPECIFICATIONS

- 18mm construction throughout, Egger board
- 100mm cross rail on base units
- 2mm PVC leading edging
- Gables are pre-drilled for hinges, 100mm centres
- 150mm adjustable legs on base & full height units
- Pre-inserted cam & dowel technology with unique 2 minute build time
- Simple screwdriver fixing, simply push panels in position & lock in place with screw driver
- 5mm colour co-ordinated cover caps included





Larder and Appliance units

Wall Units



Bridging Units






Hinges & Drawerbox



TITUS Clip-On Hinge specification

- Included with every cabinet
- Integrated adjustable soft close as standard
- Back plate includes expandable dowels for added durability



TOPSLIDE®

Drawer Box Specification

- 40kg load capacity
- Soft close as standard
- Twin wall metal sides with MFC base

Supplied in light grey


• Supplied ready assembled

Wall Microwave Housing Kit - 720mm (h)



Specification


Internal Drawers



Order Codes

How Modus codes work

The code is broken down into 4 sections. Each section represents a different requirement for the final product.



* Please note: Appliance sizes will vary which will have an affect on filler/door sizes. Please check appliance dimensions and specifications carefully prior to purchase/installation to ensure they are suitable for the purpose. It's up to the fitter to ensure the unit is installed correctly and in line with any safety regulations.

White Cabinet

Modus Kitchens are supplied exclusively with white cabinets.



Completed code

When the code has been completed it will look like this.

This code is for a Piatto Gloss White door (600) with a White (W) 600mm base cabinet (60B).

Accessories and integrated appliance doors do not require the 'W' cabinet colour letter and will appear like this.

Accessories

M600PLI

How Modus Vero codes work

The code is broken down into 4 sections. Each section represents a different requirement for the final product.



M600W60B




The 'VM' at the beginning represents 'Vero Modus', This will not change throughout the

replaced by the prefix code for the colour of the door range.

colour and this will not change

represents the description of white cabinet the item you are purchasing and is unique for this product.

Door Configurations



| MXXXUL30-60 | MXXXUFF50 | MXXXUFF70 | MXXXUTOVENA | MXXXUTOVENB |
|---|---------------------------------------|---------------------------|-------------|-------------|
| 1245 Available widths: 300 500 600 | 980 | 1245 | 900 | 645 |
| 715 | 980 | 715 | 570 | 715 |
| | | 150mm plinth | | |
| Larder Unit | Fridge / Freezer 50/50 (980 doors) | Fridge / Freezer 70/30 | Double Oven | Single Oven |
| MXXXUTOVENC | MXXXUTOVEND | MXXXUTOVENE | MXXXUTOVENF | |
| 490 | 450 | 490 | 645 | |
| 380 | 460 | 900 | 600 | I970mm |
| 490 | 450 | 283 | 355 | |
| | | | | 150mm |

Corner Wall Units

Corner Wall Units

630 × 630mm L Shape Wall

MXXXUCWL630


(available in all ranges)

Carcase size: 630 × 630mm

Door size: 715 × 296mm (x2)

Hinges: Unit comes with 170° hinges,

each door is hinged independently on the gable.



600 x 300mm Conventional Wall


MXXXU30D60WCP

 Carcase size:
 600 × 300mm

 Door size:
 715mm x 296mm

Hinges: Unit comes with 270° hinges **Blanking panel**: Comes with 500mm blanking panel,

needs to be cut to size (300mm wide)



Single Oven & 380

Single Oven & 460 Microwave

Corner Base Units

800mm Corner Base, 400mm Door

MXXXU80CB4

Carcase size: 800mm

Door size: 715mm x 396mm

Blanking panel: 500mm, can be cut to size

396
Door

To x 70
Corner Post* 500
Blanking
Panel

560
Base Carcase
Depth

900mm Corner Base, 450mm Door

MXXXU90CB

Carcase size: 900mm

Door size: 715mm x 446mm

Blanking panel: 500mm, can be cut to size

1080*
900
Corner Carcase

900
Corner Carcase

70 x 70
Corner
Post* 500
Blanking
Panel

Base Carcase

Depth

Corner Base Units

930 × 930mm L Shape Base

MXXXUCBASE930


Carcase size: 930 × 930mm

Door size: 715 × 296mm (x2)

Hinges: Unit comes with 17

: Unit comes with 170° hinges,

each door is hinged independently on the gable.



Corner Base Units

1000mm Corner Base, 500mm Door


MXXXU10CB5

P10

Carcase size: 1000mm

Door size: 715 × 496mm

Blanking panel: 500mm can be cut to size




1000mm Corner Base, 600mm Door

MXXXU10CB6

Carcase size: 1000mm
Door size: 715 × 596mm

Blanking panel: 500mm can be cut to size





Corner Wirework Units

Guide to L/R Wirework Corner Units

Units are 'handed' by the side the door is on.

The door is hinged on the side that the blanking panel is on (applies to Combi pull out shelves).





Wirework corner cabinet sizes

Dynamic Corner Units,

left hand / right hand: 1000mm cabinet, 496mm door



Right hand shown

Combi Dynamic 500,

left hand / right hand: 1000mm cabinet, 496mm door



Left hand shown

3/4 Carousel 930 × 930: 1/2 Carousel 1000 CB:

930 × 930mm cabinet, 2 × 296mm

doors, corner post



1000mm cabinet, 496mm door


P11

Piatto

Style: Slab • Substrate: MFC • Thickness: 19mm

Finish: Lacquered & ABS Edged • Reverse: White

Replace 'XXX' with the prefix: 600 (Gloss White), 601 (Gloss Dove Grey), 602 (Gloss Cashmere Stone), 610 (Matt Cashmere Stone), 611 (Matt Dove Grey), 612 (Matt Charcoal)




MODUS COLLECTION

BASE UNITS



| 150mm | MXXXW15B | £181 |
|-------|----------|------|
| 300mm | MXXXW30B | £198 |
| 350mm | MXXXW35B | £204 |
| 400mm | MXXXW40B | £209 |
| 450mm | MXXXW45B | £213 |
| 500mm | MXXXW50B | £214 |
| 600mm | MXXXW60B | £236 |



| 700mm | MXXXW70B | £280 |
|--------------------|----------|------|
| 800mm | MXXXW80B | £288 |
| 900mm | MXXXW90B | £292 |
| 1000mm | MXXXW10B | £295 |
| Under Oven Housing | MXXXWUOH | £218 |

CORNER BASE UNITS



800mm/400mm door MXXXW80CB4 **£348 900mm/450mm door** MXXXW90CB **£350** 1000mm/500mm door MXXXW10CB5 £388 1000mm/600mm door MXXXW10CB6 £402



DRAWER UNITS

2 DRAWER UNITS

| 600mm | MXXXW602D | £675 |
|--------|-----------|------|
| 800mm | MXXXW802D | £753 |
| 900mm | MXXXW902D | £770 |
| 1000mm | MXXXW102D | £779 |

2 DRAWER UNITS (WITH INTERNAL DRAWER)



| 600mm | MXXXW60INT2D | £834 |
|--------|--------------|------|
| 800mm | MXXXW80INT2D | £921 |
| 900mm | MXXXW90INT2D | £942 |
| 1000mm | MXXXW10INT2D | £958 |

3 DRAWER UNITS



| 500mm | MXXXU503D | £75 |
|-------|-----------|-----|
| 600mm | MXXXU603D | £77 |
| 800mm | MXXXU803D | £86 |

4 DRAWER UNITS



| 400mm | MXXXU404D | £820 |
|-------|-----------|------|
| | | |

SINK BASE UNITS



600mm dummy drawer MXXXU60DL0 £259

DRAWER LINE UNITS



| | incl. 1 drawer box | |
|-------|--------------------|--|
| 600mm | MXXXU60DL1 | |

WALL UNITS

£405



| 150mm | MXXXW15W | £173 |
|-------|----------|------|
| 300mm | MXXXW30W | £186 |
| 350mm | MXXXW35W | £188 |
| 400mm | MXXXW40W | £191 |
| 450mm | MXXXW45W | £193 |
| 500mm | MXXXW50W | £198 |
| 600mm | MXXXW60W | £219 |
| | | |



900mm

1000mm

| | MXXXW80W | £290 |
|---|----------|------|
| | MXXXW90W | £295 |
| 1 | MXXXW10W | £297 |
| | | |

CORNER WALL UNITS

BI-FOLD UNITS

600mm MXXXW60BF £534

50/50 Fridge 980

MXXXWFF50 £566

£703

£713

800mm MXXXW80BF

900mm MXXXW90BF

(720mm tall) incl bi-fold mechanism



600mmx300mm MXXXU30D60WCP £417

MICRO WALL HOUSING UNITS



720×600mm XXXWMICRO60 £465

APPLIANCE HOUSING WITH DRAWERS




Double Oven MXXXWTOVENE £839 Single Oven MXXXWTOVENF £927

LARDER UNIT



| | • 1 | |
|-------|----------|------|
| 300mm | MXXXWL30 | £439 |
| 500mm | MXXXWL50 | £518 |
| 600mm | MXXXWL60 | £574 |
| | | |

APPLIANCE DOORS



MXXX71544 £57 MXXX71559 £72

150 Dynamic Pull Out

MXXXWDY15 **£307**

Single Oven

MXXXWTOVENB £494

500 Dyn Maxima 600 Dyn Maxima MXXXWDY50MAX MXXXWDY60MAX £1103



3/4 Car 930 × 930 MXXXU930CAR3/4 £704

300 Dyn Pull Out

MXXXWDY30 £389



300 DynTall Larder

MXXXWL30W **£1148**

£527



1/2 Carousel 1000 CB MXXXU9CAR1/2

END PANELS

MXXX240E

MXXX24090E

BRIDGING UNITS

288×800mm MXXXW80BR288£317 360×800mm MXXXW80BR £331

288×900mm MXXXW90BR288£330 360×900mm MXXXW90BR £344

288×1000mm MXXXW10BR288 £342 360×1000mm MXXXW10BR £357

288×600mm MXXXW60BR288£214

APPLIANCE HOUSINGS

70/30 Fridge

Single + Micro 380

MXXXWTOVENC £464

WIREWORK UNITS

MXXXWFF70 £574

incl. gas lift mechanism

360×600mm MXXXW60BR £223

Double Oven

Single + Micro 460

MXXXWTOVEND £465


MXXXWTOVENA £473

Combi Dyn 500 (R/L) MXXXWDYCOM50R/L £1039

1000 Dyn Corner Unit (R/L)

MXXXWDYCNRR/L £1011

ACCESSORIES



715 × 596

Int Corner Post 720 2800 Corn/Pel Sq 2800 Plinth MXXXCPSLAB £83 MXXXCOR £103 MXXXPLI £98 MXXXCBASECPOST £83 MXXXCWALLCPOST£68

corner base post

L-shaped corner wall post

WALL 792×350×19EP 900×650×19EP 2400×650×19EP

2400×900×19EP





£93 £261 £375

P13

P12

Piatto

Style: Slab • Substrate: MFC • Thickness: 18mm

Finish: Melamine faced with ABS Edge • Reverse: Matched

Replace 'XXX' with the prefix: 650 (Oyster Oak), 651 (Amber Oak)



MODUS COLLECTION


BASE UNITS



| 150mm | MXXXW15B | £190 |
|-------|----------|------|
| 300mm | MXXXW30B | £208 |
| 350mm | MXXXW35B | £214 |
| 400mm | MXXXW40B | £220 |
| 450mm | MXXXW45B | £224 |
| 500mm | MXXXW50B | £225 |
| 600mm | MXXXW60B | £248 |



CORNER BASE UNITS



DRAWER UNITS

2 DRAWER UNITS

| | _ | |
|--------|-----------|------|
| 600mm | MXXXW602D | £708 |
| 800mm | MXXXW802D | £791 |
| 900mm | MXXXW902D | £808 |
| 1000mm | MXXXW102D | £818 |
| | | |

2 DRAWER UNITS (WITH INTERNAL DRAWER)



| 600mm | MXXXW6UINTZD | £8/6 |
|--------|--------------|-------|
| 800mm | MXXXW80INT2D | £967 |
| 900mm | MXXXW90INT2D | £989 |
| 1000mm | MXXXW10INT2D | £1006 |
| | | |

3 DRAWER UNITS



| 500mm | MXXXU503D | £788 |
|-------|-----------|------|
| 600mm | MXXXU603D | £815 |
| 800mm | MXXXU803D | £90 |
| | | |

4 DRAWER UNITS



| 00mm | MXXXU404D | £860 |
|------|-----------|------|
| | | |

SINK BASE UNITS



600mm dummy drawer MXXXU60DL0 **£271**

DRAWER LINE UNITS



| 600mm | MXXXU60DL1 |
|-------|------------|
| | |

WALL UNITS


£425

£312

incl. 1 drawer box



| 150mm | MXXXW15W | £181 |
|-------|----------|------|
| 300mm | MXXXW30W | £196 |
| 350mm | MXXXW35W | £198 |
| 400mm | MXXXW40W | £201 |
| 450mm | MXXXW45W | £203 |
| 500mm | MXXXW50W | £207 |
| 600mm | MXXXW60W | £230 |
| | | |



MXXXW10W

1000mm



BI-FOLD UNITS

600mm MXXXW60BF £560

50/50 Fridge 980

MXXXWFF50 £594

Single Oven

MXXXWTOVENB £519

£737

£749

800mm MXXXW80BF

900mm MXXXW90BF

(720mm tall) incl bi-fold mechanism

CORNER WALL UNITS




600mmx300mm MXXXU30D60WCP £438

MICRO WALL HOUSING UNITS



720×600mm MXXXWMICRO60 £488

APPLIANCE HOUSING WITH DRAWERS




Double Oven MXXXWTOVENE £882 Single Oven MXXXWTOVENF £972

LARDER UNIT



| | 9 1 | |
|-------|----------|------|
| 300mm | MXXXWL30 | £461 |
| 500mm | MXXXWL50 | £543 |
| 600mm | MXXXWL60 | £602 |
| | | |

APPLIANCE DOORS



490 × 596 MXXX49059 715 × 446 MXXX71544 £60 715 × 596 MXXX71559 £75

150 Dynamic Pull Out

MXXXWDY15 **£321**

500 Dyn Maxima 600 Dyn Maxima MXXXWDY50MAX MXXXWDY60MAX £1,159 £1,237

300 Dyn Pull Out

MXXXWDY30 £408

3/4 Car 930 × 930 MXXXU930CAR3/4 £740



300 DynTall Larder

MXXXWL30W **£1205**

1/2 Carousel 1000 CB



BRIDGING UNITS

288×600mm MXXXW60BR288 £225 360×600mm MXXXW60BR £234 288×800mm MXXXW80BR288 £333 360×800mm MXXXW80BR £347

288×900mm MXXXW90BR288 £346 360×900mm MXXXW90BR £362

288×1000mm MXXXW10BR288 £359 360×1000mm MXXXW10BR £374

Double Oven

Single + Micro 460

MXXXWTOVEND £488

MXXXWTOVENA £497

APPLIANCE HOUSINGS

70/30 Fridge

Single + Micro 380

MXXXWTOVENC £487

WIREWORK UNITS

MXXXWFF70 £603

incl. gas lift mechanism




1000 Dyn Corner Unit (R/L)

MXXXWDYCNRR/L £1062

MXXXWDYCOM50R/L MXXXU9CAR1/2 £1091

ACCESSORIES



Int Corner Post 720 2800 Corn/Pel Sq 2800 Plinth MXXXCPSLAB £87 MXXXCOR £108 MXXXPLI £103 MXXXCBASECPOST £87 MXXXCWALLCPOST£72



corner base post

L-shaped corner wall post

BASE

792×350×18EP

900×650×18EP

2400×650×18EP

2060×900×18EP

£553



END PANELS

MXXX206090F

TALL

£97 £274 £394

BREAKFAS

P14

Senza

Style: J Pull • Substrate: MF MDF • Thickness: 19mm

Finish: Lacquered & ABS Edged • Reverse: White, Double drilled (cover caps supplied)




MODUS COLLECTION

BASE UNITS



| 150mm | MXXXW15B | £192 |
|-------|----------|------|
| 300mm | MXXXW30B | £219 |
| 350mm | MXXXW35B | £231 |
| 400mm | MXXXW40B | £244 |
| 450mm | MXXXW45B | £252 |
| 500mm | MXXXW50B | £265 |
| 600mm | MXXXW60B | £286 |



| 700mm | MXXXW70B | £355 |
|--------------------|----------|------|
| 800mm | MXXXW80B | £361 |
| 900mm | MXXXW90B | £374 |
| 1000mm | MXXXW10B | £394 |
| Under Oven Housing | MXXXWUOH | £227 |

CORNER BASE UNITS



900mm/450mm door MXXXW90CB £421 1000mm/500mm door MXXXW10CB5 £431 1000mm/600mm door MXXXW10CB6 £447



DRAWER UNITS 2 DRAWER UNITS



900mm MXXXW902D £862 1000mm MXXXW102D £891

2 DRAWER UNITS (WITH INTERNAL DRAWER)



| 600mm | MXXXW60INT2D | £893 |
|--------|--------------|-------|
| 800mm | MXXXW80INT2D | £1017 |
| 900mm | MXXXW90INT2D | £1042 |
| 1000mm | MXXXW10INT2D | £1073 |
| | | |

3 DRAWER UNITS



| 500mm | MXXXU503D | £796 |
|-------|-----------|------|
| 600mm | MXXXU603D | £825 |
| 800mm | MXXXU803D | £944 |

4 DRAWER UNITS



ALL PRICES ARE INCLUSIVE OF VAT AT THE APPLICABLE RATE

| 400mm | MXXXU404D | £87 |
|-------|-----------|-----|
| | | |

SINK BASE UNITS



600mm dummy drawer MXXXU60DL0 **£298**











| 50mm | MXXXW15W | £183 |
|------|----------|------|
| 00mm | MXXXW30W | £20 |
| 50mm | MXXXW35W | £218 |
| 00mm | MXXXW40W | £229 |
| 50mm | MXXXW45W | £236 |
| 00mm | MXXXW50W | £24 |
| 00mm | MXXXW60W | £272 |



| '00mm | MXXXW70W | £355 |
|-------|----------|------|
| 800mm | W08WXXXM | £363 |
| 00mm | MXXXW90W | £376 |
| 000mm | MXXXW10W | £395 |
| | | |





| | incl. 1 drawer box | |
|------|--------------------|--|
| 00mm | MXXXU60DL1 | |

£444

WALL UNITS





| | £303 | |
|---|------|--|
| 1 | £376 | |
| | £395 | |
| | | |

(720mm tall) incl

600mm MXXXW60BF £589

50/50 Fridge 980

MXXXWFF50 £719


Single Oven

150 Dynamic Pull Out

MXXXWDY15 £315

MXXXWTOVENB £575

630mmx630mm MXXXWCWL630 £526



600mmx300mm MXXXU30D60WCP £468



720×600mm MXXXWMICRO60 £549



Double Oven MXXXWTOVENE £924 Single Oven MXXXWTOVENF £1,031

LARDER UNIT



| 300mm | MXXXWL30 | £492 |
|-------|----------|------|
| 500mm | MXXXWL50 | £610 |
| 600mm | MXXXWL60 | £685 |

Int Corner Post



£120

2800 Com/Pel Sa 2800 Plinth



500 Dyn Maxima 600 Dyn Maxima MXXXWDY50MAX MXXXWDY60MAX £1194



70/30 Fridge

Single + Micro 380

MXXXWTOVENC £541

MXXXWFF70 £685

3/4 Car 930 × 930 MXXXU930CAR3/4 £764

L-shaped

corner wall post

300 Dyn Pull Out

MXXXWDY30 £498



300 DynTall Larder

MXXXWL30W **£1203**



288×600mm MXXXW60BR288£240 360×600mm MXXXW60BR £250 288×800mm MXXXW80BR288£357 360×800mm MXXXW80BR £371

288×900mm MXXXW90BR288**£374 360×900mm** MXXXW90BR **£390** 288×1000mm MXXXW10BR288 £392 360×1000mm MXXXW10BR £409

Double Oven

Single + Micro 460

MXXXWTOVEND £541

MXXXWTOVENA £543

Combi Dyn 500 (R/L) MXXXWDYCOM50R/L £1,122

1000 Dyn Corner Unit (R/L)

MXXXWDYCNRR/L £1055

incl, gas lift mechanism





MXXX792E

792×350×19EP 900×650×19EP MXXX90F 2400×650×19EP MXXX240E 2400×900×19EP MXXX24090E

corner base post


L-shaped

MXXXCPSHAPED £113 MXXXCOR £107 MXXXPLI £98 MXXXCBASECPOST £122 MXXXCWALLCPOST £93

Sereno

Style: 60mm frame shaker, 5 Piece Shaker • Substrate: MDF • Thickness: 18mm • Finish: Foil Wrapped

Replace 'XXX' with the prefix: 640 (Matt White), 641 (Matt Light Grey), 643 (Matt Indigo)



MODUS COLLECTION

BASE UNITS


BASE UNITS



| 150mm | MXXXW15B | £183 |
|-------|----------|------|
| 300mm | MXXXW30B | £186 |
| 350mm | MXXXW35B | £192 |
| 400mm | MXXXW40B | £197 |
| 450mm | MXXXW45B | £199 |
| 500mm | MXXXW50B | £204 |
| 600mm | MXXXW60B | £214 |



CORNER BASE UNITS



MXXXWCBASE930 £456

930 × 930mm


P18

DRAWER UNITS



| 600mm | MXXXW602D | £619 |
|--------|-----------|------|
| 800mm | MXXXW802D | £685 |
| 900mm | MXXXW902D | £700 |
| 1000mm | MXXXW102D | £712 |

2 DRAWER UNITS (WITH INTERNAL DRAWER)



| 600mm | MXXXW60INT2D | £769 |
|--------|--------------|------|
| 800mm | MXXXW80INT2D | £848 |
| 900mm | MXXXW90INT2D | £862 |
| 1000mm | MXXXW10INT2D | £878 |
| | | |

3 DRAWER UNITS



| 500mm | MXXXU503D | £695 |
|-------|-----------|------|
| 600mm | MXXXU603D | £712 |
| 800mm | MXXXU803D | £790 |

4 DRAWER UNITS




| 400mm | MXXXU404D | £759 |
|-------|-----------|------|
| | | |

BELFAST SINK BASE UNITS



Belfast 455mm (h) MXXXUBEL455 £227 Belfast 495mm (h) MXXXUBEL495 £233

SINK BASE / DRAWER LINE UNITS





incl. 1 drawer box

600mm dummy drawer MXXXU60DL0 £239 MXXXU60DL1 £370

WALL UNITS



| 150mm | MXXXW15W | £182 |
|-------|----------|------|
| 300mm | MXXXW30W | £173 |
| 350mm | MXXXW35W | £175 |
| 400mm | MXXXW40W | £180 |
| 450mm | MXXXW45W | £184 |
| 500mm | MXXXW50W | £187 |
| 600mm | MXXXW60W | £198 |



| 700mm | MXXXW70W | £270 |
|--------|----------|------|
| 800mm | MXXXW80W | £276 |
| 900mm | MXXXW90W | £284 |
| 1000mm | MXXXW10W | £286 |
| | | |

CORNER WALL UNITS

BI-FOLD UNITS

600mm MXXXW60BF £490

50/50 Fridge 980

MXXXWFF50 £509

Single Oven

150 Dynamic Pull Out

MXXXWDY15 £293

MXXXWTOVENB £449

£480


£652

800mm MXXXW80BF

900mm MXXXW90BF

(720mm tall) incl






600mmx300mm MXXXU30D60WCP £397

MICRO WALL HOUSING UNITS



720×600mm MXXXWMICRO60 £465

APPLIANCE HOUSING WITH DRAWERS



Double Oven MXXXWTOVENE £782 Single Oven MXXXWTOVENF £856

LARDER UNIT



| | • 7 | |
|-------|----------|------|
| 300mm | MXXXWL30 | £395 |
| 500mm | MXXXWL50 | £460 |
| 600mm | MXXXWL60 | £497 |
| | | |

APPLIANCE DOORS



490 × 596 MXXX49059 **715 × 446** MXXX71544 £61 715 × 596 MXXX71559 £69



500 Dyn Maxima 600 Dyn Maxima MXXXWDY50MAX MXXXWDY60MAX £1,044



3/4 Car 930 × 930 MXXXU930CAR3/4 £581

300 Dyn Pull Out

MXXXWDY30 £355



300 DynTall Larder

MXXXWL30W **£1,041**

MXXXU9CAR1/2



1/2 Carousel 1000 CB

BRIDGING UNITS

288×600mm MXXXW60BR288£198

288×800mm MXXXW80BR288£198

288×900mm MXXXW90BR288£301

288×1000mm MXXXW10BR288 £311

70/30 Fridge

MXXXWFF70 £497

Single + Micro 380

MXXXWTOVENC £430

WIREWORK UNITS

APPLIANCE HOUSINGS

incl. gas lift mechanism

360×600mm MXXXW60BR £205

360×800mm MXXXW80BR £304

360×900mm MXXXW90BR £312

360×1000mm MXXXW10BR £323

Double Oven

MXXXWTOVENA £438

Single + Micro 460

MXXXWTOVEND £426




1000 Dyn Corner Unit (R/L)

MXXXWDYCNRR/L £873

Combi Dyn 500 (R/L) MXXXWDYCOM50R/L £932


ACCESSORIES



Int Corner Post 720 3000 Com/Pel Sq 3050 Plinth corner base post MXXXCPSLAB £55 MXXXCOR £71 MXXXPLI £132 MXXXCBASECPOST £107 MXXXCWALLCPOST£87

L-shaped

corner wall post



2400×900×18EP



END PANELS

MXXX24090E


BREAKFAST £67 £128 £283

£375

Routered for you

Vero profiles & Accessories

Base Units



Larder & Appliance Units

Cabinet gable set back on **ONE** side to accommodate


Single gable units are part of any larder combination.

Can be used for both Left Hand and Right Hand units.

Pre-drilled holes for quick fix brackets

'Single Gable' Unit

2/3 Drawer Units



Top and mid sections pre-routered Pre-drilled holes for quick fix brackets

Wall Units



Top Profile & Accessories



Top Profile Used for Base Units

4100 × 56.5 × 27.2mm - Aluminium £68

VTOP4100

Silver

Silver

VTOP4100RG

VTOP4100GR

VTOP4100BR



Internal Corner Joint - Top

Connects Top Profiles

90 degrees - Aluminium £35

Graphite Brushed Brass Black VTOPINT90RG VTOPINT90GR VTOPINT90BR VTOPINT90BL VTOPINT90

> **Joint Section** Connects Top Profiles

Rose Gold VTOPJOINT VTOPJOINTRG

Graphite VTOPJOINTGR

Brushed Brass

VTOPJOINTBR



End Caps - Top

Aluminium £42

Finishes Off Top Profiles

Aluminium - Pair (1 LH 1 RH) £38

Graphite VTOPENDCAPRG VTOPENDCAPBR VTOPENDCAPBL



External Corner Joint - Top Connects Top Profiles

90 degrees - Aluminium £35

VTOPEXT90GR

Graphite VTOPEXT90GR

Brushed Brass Black VTOPEXT90BR VTOPEXT90BL

Mid Profile & Accessories



Mid Profile

Used for Drawers

4100 × 73 × 26mm - Aluminium £72

Graphite



Internal Corner Joint - Mid

Connects Top Profiles

90 degrees - Aluminium £64

VMIDINT90

Graphite VMIDINT90GR



End Caps - Mid

Finishes Off Top Profiles Aluminium - Pair (1 LH 1 RH) £38

VMIDENDCAP

Graphite VMIDENDCAPRG VMIDENDCAPGR VVMIDENDCAPBR

Brushed Brass Black



Finishes

Aluminium construction

with 5 finish options.

Graphite Brushed Brass



Quick Fix Brackets

Attaches Profile to Cabinet

Quick fix brackets for top and mid profiles. Screw mounted 1 pair (min. order 25 pairs) Nb. Brackets for top and mid profiles are the same.

Wall Profiles



Wall Cabinet Profiles

Used for Wall Units

3900 × 19.6 × 20mm - Aluminium £42

Rose Gold

Graphite

Brushed Brass Black VWALL3900RG VWALL3900BR VWALL3900BR

VERO PROFILES

Vertical Profile & Accessories



Vertical Profile - Intermediate

Used Between Two Larders 4100 × 71.6 × 41mm - Aluminium £113

Graphite Brushed Brass Black VVERTMID4200 VVERTMID4200RG VVERTMID4200GR VVVERTMID4200BR VVERTMID4200BL



Vertical Profile - End

Used at end of larder run 4100 × 53.3 × 41mm - Aluminium **£102**

Graphite Brushed Brass Black Rose Gold



Spacer For Appliance

VVERTEND4200 VVERTEND4200RG VVERTEND4200GR VVERTEND4200BL

Connects Gap Behind Appliances 580mm - Aluminium £26

Rose Gold Graphite VVERTSPACER VVERTSPACERRG VVVERTSPACERBR VVERTSPACERBR VVERTSPACERBL




Additional Cabinet Features

- Gables marked for hinges 100mm centres
- Silence hinges included with all cabinets - All carcases have 2mm PVC leading edge
- Pre-drilled holes for drawer runners on 2/3 drawer units
- Wall units supplied with concealed hangers and plates - Includes 5mm colour coordinated cover caps.

'Double Gable' Unit

Cabinet gable set back on **BOTH** sides to accommodate two vertical profiles. Used for the MIDDLE unit/s on a larder run of





| ase Larder & appliance Unit Sizes | Height | Back (solid MFC) |
|--------------------------------------|--------|---------------------|
| tandard Base Unit | 720mm | 18mm |
| arder & Appliance Units | 1970mm | 8mm |
| | | |

ALL PRICES ARE INCLUSIVE OF VAT AT THE APPLICABLE RATE

| Wall Unit Sizes | Height | Back (solid MFC) |
|--------------------|--------|---------------------|
| Bridging Unit | 360mm | 8mm |
| Standard Wall Unit | 720mm | 8mm |
| | | |



90 degrees - Aluminium £35 VMIDEXT90RG

VMIDEXT90GR

Connects Top Profiles

VMIDEXT90BR

VMIDEXT90BL

Piatto

Style: Slab • Substrate: MFC • Thickness: 19mm

Finish: Lacquered & ABS Edged • Reverse: White

Replace 'XXX' with the prefix: 600 (Gloss White), 601 (Gloss Dove Grey), 602 (Gloss Cashmere Stone), 610 (Matt Cashmere Stone), 611 (Matt Dove Grey), 612 (Matt Charcoal)




MODUS COLLECTION

BASE UNITS




| 150mm | VMXXXW15B | £209 |
|-------|-----------|------|
| 300mm | VMXXXW30B | £237 |
| 350mm | VMXXXW35B | £244 |
| 400mm | VMXXXW40B | £248 |
| 450mm | VMXXXW45B | £250 |
| 500mm | VMXXXW50B | £254 |
| 600mm | VMXXXW60B | £276 |



| 700mm | VMXXXW70B | £330 |
|--------------------|-----------|------|
| 800mm | VMXXXW80B | £338 |
| 900mm | VMXXXW90B | £343 |
| 1000mm | VMXXXW10B | £351 |
| Under Oven Housing | VMXXXWUOH | £189 |

CORNER BASE UNITS



800mm/400mm door VMXXXW80CB4 £388 900mm/450mm door VMXXXW90CB £392 1000mm/500mm door VMXXXW10CB5 £399 1000mm/600mm door VMXXXW10CB6 £408



930 × 930mm VMXXXWCBASE930£643

DRAWER UNITS



| 600mm | VMXXXW602D | £613 |
|--------|------------|------|
| 800mm | VMXXXW802D | £694 |
| 900mm | VMXXXW902D | £794 |
| 1000mm | VMXXXW102D | £810 |

2 DRAWER UNITS (WITH INTERNAL DRAWER)



| 600mm | VMXXXW60INT2D | £744 |
|--------|---------------|------|
| 800mm | VMXXXW80INT2D | £824 |
| 900mm | VMXXXW90INT2D | £841 |
| 1000mm | VMXXXW10INT2D | £851 |

3 DRAWER UNITS




| 500mm | VMXXXU503D | £658 |
|-------|------------|------|
| 600mm | VMXXXU603D | £689 |
| 800mm | VMXXXU803D | £772 |
| 900mm | VMXXXU903D | £794 |
| | | |

APPLIANCE DOORS



| 490 × 596 | VMXXX49059 | £55 |
|-----------|------------|-----|
| 685 × 446 | VMXXX68544 | £55 |
| 685 × 596 | VMXXX68559 | £70 |

WALL UNITS



| 300mm | VMXXXW30W | £227 |
|-------|-----------|------|
| 350mm | VMXXXW35W | £230 |
| 400mm | VMXXXW40W | £234 |
| 450mm | VMXXXW45W | £240 |
| 500mm | VMXXXW50W | £241 |
| 600mm | VMXXXW60W | £265 |



| VMXXXW70W | £315 |
|-----------|------------------------|
| W08WXXXMV | £322 |
| VMXXXW90W | £332 |
| VMXXXW10W | £338 |
| | VMXXXW80W VMXXXW90W |

LARDER UNIT - SINGLE GABLE



| £518 |
|------|
| £565 |
| |

LARDER UNIT - DOUBLE GABLE




300mm

500mm

600mm

| £448 | VMXXXUL30D |
|------|------------|
| £529 | VMXXXUL50D |
| £577 | VMXXXUL60D |

CORNER WALL UNITS



630mmx630mm VMXXXWCWL630 £552



(720mm tall) incl bi-fold mechanism

600mm VMXXXW60BF £505 800mm VMXXXW80BF £636 900mm VMXXXW90BF £653



BI-FOLD UNITS



BRIDGING UNITS

360x900mm



APPLIANCE HOUSINGS - SINGLE GABLE




50/50 Fridge 980 VMXXXWFF50S £559



70/30 Fridge **Double Oven** VMXXXWFF70S £565 VMXXXWTOVENAS £490



Single Oven



Single + Micro 380 VMXXXWTOVENBS £506 VMXXXWTOVENCS £481



Single + Micro 460 VMXXXWTOVENDS £438

APPLIANCE HOUSINGS - DOUBLE GABLE



50/50 Fridge 980 VMXXXWFF50D £570



70/30 Fridge **Double Oven** VMXXXWFF70D £577 VMXXXWTOVENAD £501



Single Oven VMXXXWTOVENBD £517 VMXXXWTOVENCD £491



Single + Micro 380 Single + Micro 460

WIREWORK BASE UNITS



150 Dynamic Pull Out VMXXXWDY15 £312




300 Dyn Pull Out



Combi Dyn 500 (R/L) 1000 Dyn Corner Unit (R/L) VMXXXWDYCOM50R/L £927



VMXXXWL30WS £982 VMXXXWDY50MAXS £967



VMXXXWDY60MAXS £1028

WIREWORK UNITS - DOUBLE GABLE

WIREWORK UNITS - SINGLE GABLE



300 DynTall Larder VMXXXWL30WD £993



VMXXXWDY50MAXD £977




VMXXXWDY60MAXD £1040

ACCESSORIES







END PANELS

Piatto

Style: Slab • Substrate: MFC • Thickness: 18mm

Finish: Melamine faced with ABS Edge • Reverse: Matched

Replace 'XXX' with the prefix: 650 (Oyster Oak), 651 (Amber Oak)




MODUS COLLECTION

BASE UNITS



| 150mm | VMXXXW15B | £219 |
|-------|-----------|------|
| 300mm | VMXXXW30B | £249 |
| 350mm | VMXXXW35B | £256 |
| 400mm | VMXXXW40B | £260 |
| 450mm | VMXXXW45B | £262 |
| 500mm | VMXXXW50B | £267 |
| 600mm | VMXXXW60B | £290 |



| 700mm | VMXXXW70B | £346 |
|--------------------|-----------|------|
| 800mm | VMXXXW80B | £355 |
| 900mm | VMXXXW90B | £360 |
| 1000mm | VMXXXW10B | £369 |
| Under Oven Housing | VMXXXWUOH | £198 |

CORNER BASE UNITS



800mm/400mm door VMXXXW80CB4 **£407** 900mm/450mm door VMXXXW90CB £412 1000mm/500mm door VMXXXW10CB5 £419 1000mm/600mm door VMXXXW10CB6 £428



930 × 930mm VMXXXWCBASE930£675

DRAWER UNITS

2 DRAWER UNITS

| 600mm | VMXXXW602D | £644 |
|--------|------------|------|
| 800mm | VMXXXW802D | £729 |
| 900mm | VMXXXW902D | £834 |
| 1000mm | VMXXXW102D | £850 |

2 DRAWER UNITS (WITH INTERNAL DRAWER)




| OUUIIIII | VIVIXXXVVOUINTZD | £/OI |
|----------|------------------|------|
| 800mm | VMXXXW80INT2D | £865 |
| 900mm | VMXXXW90INT2D | £883 |
| 1000mm | VMXXXW10INT2D | £894 |
| | | |

3 DRAWER UNITS




| 500mm | VMXXXU503D | £691 |
|-------|------------|------|
| 600mm | VMXXXU603D | £723 |
| 800mm | VMXXXU803D | £811 |
| 900mm | VMXXXU903D | £834 |

APPLIANCE DOORS



| 490 × 596 | VMXXX49059 | £58 |
|-----------|------------|-----|
| 685 × 446 | VMXXX68544 | £58 |
| 685 × 596 | VMXXX68559 | £75 |

WALL UNITS



| 300mm | VMXXXW30W | £238 |
|-------|-----------|------|
| 350mm | VMXXXW35W | £242 |
| 400mm | VMXXXW40W | £246 |
| 450mm | VMXXXW45W | £252 |
| 500mm | VMXXXW50W | £253 |
| 600mm | VMXXXW60W | £278 |
| | | |



| 700mm | VMXXXW70W | £331 |
|--------|-----------|------|
| 800mm | W08WXXXMV | £338 |
| 900mm | VMXXXW90W | £349 |
| 1000mm | VMXXXW10W | £355 |

LARDER UNIT - SINGLE GABLE



| 300mm | VMXXXUL30S | £460 |
|-------|------------|------|
| 500mm | VMXXXUL50S | £544 |
| 600mm | VMXXXUL60S | £593 |
| 600mm | VMXXXUL60S | £5 |

LARDER UNIT - DOUBLE GABLE

300mm

500mm

600mm



CORNER WALL UNITS



630mmx630mm VMXXXWCWL630 £580



BI-FOLD UNITS

(720mm tall) incl bi-fold mechanism

| 00mm | VMXXXW60BF | £530 |
|-------|------------|------|
| 800mm | VMXXXW80BF | £668 |
| 000mm | VMXXXW90BF | £686 |

incl. gas lift mechanism 360×600mm £261 VMXXXW60BR 360×800mm VMXXXW80BR £279 360×900mm VMXXXW90BR £286

VMXXXW10BR

BRIDGING UNITS

APPLIANCE HOUSINGS - SINGLE GABLE



50/50 Fridge 980

50/50 Fridge 980


VMXXXWFF50D £598

VMXXXWFF50S £587

70/30 Fridge




Double Oven Single Oven VMXXXWFF70S £593 VMXXXWTOVENAS £514




360×1000mm

Single + Micro 380 VMXXXWTOVENBS £531 VMXXXWTOVENCS £505



Single + Micro 460 VMXXXWTOVENDS £460

APPLIANCE HOUSINGS - DOUBLE GABLE





70/30 Fridge




Double Oven



Single Oven







Single + Micro 460

VMXXXWFF70D £606 VMXXXWTOVENAD £526 VMXXXWTOVENBD £543 VMXXXWTOVENCD £516 VMXXXWTOVENDD £470

WIREWORK BASE UNITS





150 Dynamic Pull Out VMXXXWDY15 £328



VMXXXWDYCNRR/L £920

1000 Dyn Corner Unit (R/L)



Combi Dyn 500 (R/L)

VMXXXWDYCOM50R/L £973

WIREWORK UNITS - SINGLE GABLE

Single + Micro 380







600 Dyn Maxima VMXXXWL30WS £1031 VMXXXWDY50MAXS £1015 VMXXXWDY60MAXS £1079

WIREWORK UNITS - DOUBLE GABLE



300 DynTall Larder



500 Dyn Maxima




VMXXXWL30WD £1043 VMXXXWDY50MAXD £1026 VMXXXWDY60MAXD £1091

ACCESSORIES











VMXXX792E 900×650×19EP VMXXX90E £97 2400×650×19EP VMXXX240E £274 2400×900×19EP VMXXX206090E £394

END PANELS

Brushed Steel Finish



H (mm): 13 WAVE

SHAKER

M87 £9

L (mm): 125

D (mm): 20

BRUSHED STEEL

Hole Centre: 96mm

BRUSHED STEEL M142 £37 Hole Centre: 128mm L (mm): 192 D (mm): 27 H (mm): 24



M192 £30 Hole Centre: 160mm L (mm): 168 D (mm): 25 H (mm): 30



M230 £4 Hole Centre: 96mm L (mm): 156 D (mm): 30 H (mm): 10



M231 £5 Hole Centre: 128mm L (mm): 188 D (mm): 30 H (mm): 10



M232 £5 Hole Centre: 160mm L (mm): 220 D (mm): 30 H (mm): 10



M233 £5 Hole Centre: 256mm L (mm): 316 D (mm): 30

FLAT END T BAR 360MM

BRUSHED STEEL M234 £7 Hole Centre: 360mm L (mm): 420 D (mm): 30 H (mm): 10

FLAT END T BAR 448MM **BRUSHED STEEL**

ALL PRICES ARE INCLUSIVE OF VAT AT THE APPLICABLE RATE

M235 £9 Hole Centre: 448mm L (mm): 508 D (mm): 30 H (mm): 10



M356 £15 Hole Centre: 128mm L (mm): 140 D (mm): 30 H (mm): 20

HALF MOON BAR 128MM **BRUSHED STEEL**

M357 £16 Hole Centre: 160mm L (mm): 174 D (mm): 30 H (mm): 20

HALF MOON BAR 128MM **BRUSHED STEEL**

M358 £23 Hole Centre: 256mm L (mm): 264 D (mm): 30 H (mm): 20

WIDE D 128MM **BRUSHED STEEL**

M371 £12 Hole Centre: 128mm L (mm): 137 D (mm): 28 H (mm): 27

WIDE D 160MM **BRUSHED STEEL**

M375 £15 Hole Centre: 160mm L (mm): 170 D (mm): 28 H (mm): 27

WIDE D 256MM **BRUSHED STEEL**

M376 £21 Hole Centre: 256mm L (mm): 264 D (mm): 28 H (mm): 27

WIDE D 256MM **BRUSHED STEEL**

M377 £26 Hole Centre: 320mm L (mm): 328 D (mm): 28 H (mm): 27

SLIM T BAR 160MM **BRUSHED STEEL**

M410 £21 Hole Centre: 160mm L (mm): 182 D (mm): 26 H (mm): 7

SLIM T BAR 256MM **BRUSHED STEEL**

M411 £27 Hole Centre: 256mm L (mm): 290 D (mm): 26 H (mm): 7

SQUARE BAR HANDLE 160MM BRUSHED STEEL

M362 £9 Hole Centre: 160mm L (mm): 170 D (mm): 30 H (mm): 12

Brushed Steel Finish



M255 £9

BOW PLUS T BAR 128MM

Hole Centre: 128mm L (mm): 168 D (mm): 30 H (mm): 15

BRUSHED STEEL

BOW PLUS T BAR 128MM BRUSHED STEEL

M256 £10 Hole Centre: 160mm L (mm): 200 D (mm): 30 H (mm): 15

BOW PLUS T BAR 256MM BRUSHED STEEL

M257 £16 Hole Centre: 256mm L (mm): 296 D (mm): 30 H (mm): 15

BOW PLUS T BAR 320MM BRUSHED STEEL

M258 **£20** Hole Centre: 320mm L (mm): 360 D (mm): 30 H (mm): 15

BOW SHAKER BRUSHED STEEL

M307 £9 Hole Centre: 128mm L (mm): 160 D (mm): 27 H (mm): 16

STRAP BAR HANDLE 96MM **BRUSHED STEEL**

M370 £5 Hole Centre: 96mm L (mm): 115 D (mm): 25 H (mm): 25

SQUARE BAR HANDLE 128MM BRUSHED STEEL

M371 £7 Hole Centre: 128mm L (mm): 146 D (mm): 25 H (mm): 25

STRAP BAR HANDLE 160MM **BRUSHED STEEL**

M372 £15 Hole Centre: 160mm L (mm): 178 D (mm): 25 H (mm): 25

SQUARE BAR HANDLE 256MM BRUSHED STEEL

M373 £15 Hole Centre: 256mm L (mm): 275 D (mm): 25 H (mm): 25

BLOCK END BAR 128MM BRUSHED STEEL

M431 £15

Hole Centre: 128mm L (mm): 158 D (mm): 34 H (mm): 12

BLOCK END BAR 160MM BRUSHED STEEL

M432 £18 Hole Centre: 160mm L (mm): 190 D (mm): 34 H (mm): 12

BLOCK END BAR 256MM BRUSHED STEEL

M433 **£22** Hole Centre: 256mm L (mm): 286 D (mm): 34

MASSIV BLOCK END 128MM **BRUSHED STEEL**

MASSIV BLOCK END 192MM **BRUSHED STEEL**

Hole Centre: 192mm L (mm): 234 D (mm): 36

MASSIV BLOCK END 292MM

M472 **£23**

MASSIV BLOCK END 392MM BRUSHED STEEL

M473 £24 D (mm): 36 H (mm): 20

Hole Centre: 160mm

STRAP HANDLE

Hole Centre: 128mm L (mm): 185 D (mm): 22

BOW HANDLE **BRUSHED STEEL**

MV526 £7 Hole Centre: 128mm











Hole Centre: 292mm L (mm): 334 D (mm): 36 H (mm): 20





L (mm): 180 D (mm): 25 H (mm): 18



H (mm): 20



L (mm): 144 D (mm): 34 H (mm): 16



Nickel Finish



















M216 £12 Hole Centre: 128mm L (mm): 170 D (mm): 30 H (mm): 10



L (mm): 60 D (mm): 39 H (mm): 35

CUP MATT NICKEL

M606 **£22** Hole Centre: 64mm L (mm): 105 D (mm): 31 H (mm): 31



Hole Centre: 96mm L (mm): 140 D (mm): 28 H (mm): 36



M620 £27 Hole Centre: 160mm L (mm): 173 D (mm): 32 H (mm): 10

LINDER MATT NICKEL

M625 £21 Hole Centre: 160mm L (mm): 196 D (mm): 25 H (mm): 25

DISC MATT NICKEL

M632 £10 Hole Centre: N/A L (mm): 36 D (mm): 27 H (mm): 36

FLOW MATT NICKEL

M641 **£20** Hole Centre: 160mm L (mm): 171 D (mm): 30 H (mm): 11



















CUP PLUS MATT NICKEL

M650 **£22** Hole Centre: 96mn L (mm): 105 D (mm): 27 H (mm): 31

ORBIT MATT NICKEL

M655 £7 Hole Centre: N/A L (mm): 35 D (mm): 28 H (mm): 35

KURVA MATT NICKEL

M678 £12 Hole Centre: 128mm L (mm): 166 D (mm): 19 H (mm): 25

EXCEL MATT NICKEL

M770 £21 Hole Centre: 160mm L (mm): 173 D (mm): 29 H (mm): 25

PURE BRUSHED SATIN NICKEL

M880 **£14** Hole Centre: N/A L (mm): 32 D (mm): 27 H (mm): 32

SEN CUP **BRUSHED SATIN NICKEL**

M885 **£21** Hole Centre: 64mm L (mm): 104 D (mm): 30 H (mm): 48

KNURLED HANDLE **BRUSHED SATIN NICKEL**

M990 £37 Hole Centre: 128mm L (mm): 182 D (mm): 34 H (mm): 10

KNURLED KNOB BRUSHED SATIN NICKEL

M995 **£23** Hole Centre: N/A L (mm): 30 D (mm): 35 H (mm): 30

Polished Chrome Finish



POLISHED CHROME M141 £44 Hole Centre: 128mm

WAVE

L (mm): 192 D (mm): 27 H (mm): 24



Hole Centre: 96mm L (mm): 140 D (mm): 28 H (mm): 36



M146 £37 Hole Centre: N/A L (mm): 60 D (mm): 39 H (mm): 35

D-LITE POLISHED CHROME

M147 £27 Hole Centre: 160mm L (mm): 173 D (mm): 32 H (mm): 10



Hole Centre: 96mm L (mm): 105 D (mm): 27 H (mm): 31

VICTORIAN POLISHED CHROME

M191 £27 Hole Centre: 128mm L (mm): 165 D (mm): 26 H (mm): 19

ROUND KNOB POLISHED CHROME

M198 £5 Hole Centre: N/A L (mm): 30 D (mm): 25 H (mm): 30

DISC POLISHED CHROME

M630 £10 Hole Centre: N/A L (mm): 36 D (mm): 27 H (mm): 36

FLOW HANDLE

M640 **£20** Hole Centre: 160mm L (mm): 171 D (mm): 30 H (mm): 11

ORBIT POLISHED CHROME M657 **£7**

Hole Centre: N/A L (mm): 35 D (mm): 28 H (mm): 35

LIP 50 **POLISHED CHROME**

M660 £12 Hole Centre: 30mm L (mm): 50 D (mm): 38 H (mm): 22

LIP 100 POLISHED CHROME

M665 **£20** Hole Centre: 80mm L (mm): 100 H (mm): 22

LIP 200 POLISHED CHROME

M670 **£29** Hole Centre: 180mm L (mm): 200 D (mm): 38 H (mm): 22

BENSON POLISHED CHROME

M775 **£22** Hole Centre: 160mm L (mm): 204 D (mm): 30 H (mm): 15

CONTOUR POLISHED CHROME

M776 **£22** Hole Centre: 160mm L (mm): 174 D (mm): 34 H (mm): 14

PURE POLISHED CHROME M883 £14

Hole Centre: N/A L (mm): 32 D (mm): 27 H (mm): 32

SEN CUP POLISHED CHROME M887 £21

Hole Centre: 64mm L (mm): 104 D (mm): 30 H (mm): 48





ALL PRICES ARE INCLUSIVE OF VAT AT THE APPLICABLE RATE



Gold/Brass Finish




















Hole Centre: 64mm L (mm): 105 D (mm): 31 H (mm): 31



Hole Centre: 96mm L (mm): 140 D (mm): 28 H (mm): 36



Hole Centre: 128mm D (mm): 27 H (mm): 24



Hole Centre: 160mm L (mm): 173 D (mm): 32



M626 £21 Hole Centre: 160mm D (mm): 25 H (mm): 25

DISC MATT GOLD M633 **£10** Hole Centre: N/A

L (mm): 36 D (mm): 27 H (mm): 36

FLOW MATT GOLD

M642 **£20** Hole Centre: 160mm L (mm): 171 D (mm): 30 H (mm): 11

EXCEL MATT GOLD

M772 £21 Hole Centre: 160mm L (mm): 173 D (mm): 29 H (mm): 15

PURE **BRUSHED SATIN BRASS**

M881 **£14** Hole Centre: N/A L (mm): 32 D (mm): 27 H (mm): 32

SEN CUP BRUSHED SATIN BRASS

M886 **£21** Hole Centre: 64mm L (mm): 104 D (mm): 30 H (mm): 48

KNURLED HANDLE **BRUSHED SATIN BRASS** M992 £37

Hole Centre: 128mm L (mm): 182 D (mm): 34 H (mm): 10

KNURLED KNOB **BRUSHED SATIN BRASS** M997 £23

Hole Centre: N/A L (mm): 30 D (mm): 35 H (mm): 30

Matt Black Finish

LIP 50 MATT BLACK

Hole Centre: 30mm L (mm): 50 D (mm): 38 H (mm): 22

MATT BLACK M666 **£20**

LIP 200

Hole Centre: 180mm L (mm): 200 D (mm): 38

L (mm): 166 D (mm): 19 H (mm): 25

EXCEL

L (mm): 173 D (mm): 29 H (mm): 15

PURE MATT BLACK

Hole Centre: N/A L (mm): 32 D (mm): 27 H (mm): 32

KNURLED HANDLE

M991 £37 L (mm): 182 D (mm): 34

KNURLED KNOB

M996 **£23** Hole Centre: N/A L (mm): 30 D (mm): 35 H (mm): 30

Graphite Finish

IMPERIAL GRAPHITE M612 **£30**

Hole Centre: 96mm L (mm): 140 D (mm): 28 H (mm): 36

WAVE GRAPHITE

M616 **£44** Hole Centre: 128mm L (mm): 192 D (mm): 27 H (mm): 24

D-LITE GRAPHITE

M622 **£27** Hole Centre: 160mm L (mm): 173 D (mm): 32 H (mm): 10

LINDER GRAPHITE

M627 **£21** Hole Centre: 160mm L (mm): 196 D (mm): 25 H (mm): 25

BENSON POLISHED CHROME

M643 **£20** Hole Centre: 160mm L (mm): 171 D (mm): 30 H (mm): 11

From top: M771 Excel, matt black

M676 Kurva, matt black M882 Pure, matt black









Hole Centre: 80mm L (mm): 100 D (mm): 38 H (mm): 22

MATT BLACK M671 **£29**

H (mm): 22

KURVA MATT BLACK M676 £12

Hole Centre: 128mm

MATT BLACK M771 £21

Hole Centre: 160mm



MATT BLACK

Hole Centre: 128mm H (mm): 10

MATT BLACK

ALL PRICES ARE INCLUSIVE OF VAT AT THE APPLICABLE RATE



Antique Bronze Finish













ELIPSE ANTIQUE BRONZE

M600 **£37** Hole Centre: N/A L (mm): 60 D (mm): 39 H (mm): 35

CUP **ANTIQUE BRONZE**

M605 **£22** Hole Centre: 64mm L (mm): 105 D (mm): 31 H (mm): 31

DISC ANTIQUE BRONZE

M631 £10 Hole Centre: N/A D (mm): 27 H (mm): 36

KURVA **ANTIQUE BRONZE**

M675 £12 Hole Centre: 64mm L (mm): 166 D (mm): 19

CUP PLUS ANTIQUE BRONZE M651 **£22**

Hole Centre: 96mm L (mm): 105 D (mm): 27 H (mm): 31

ORBIT **ANTIQUE BRONZE**

M656 **£7** Hole Centre: N/A L (mm): 35 D (mm): 28 H (mm): 35

Antique Copper Finish



WAVE ANTIQUE COPPER M182 **£44**

Hole Centre: 128mm L (mm): 192 D (mm): 27 H (mm): 24

ELIPSE ANTIQUE COPPER

M183 £37 Hole Centre: N/A L (mm): 60 D (mm): 39 H (mm): 35

IMPERIAL ANTIQUE COPPER

M184 £30 Hole Centre: 96mm L (mm): 140 D (mm): 28 H (mm): 36

D-LITE ANTIQUE COPPER M185 £27

Hole Centre: 160mm L (mm): 173 D (mm): 32 H (mm): 10

Pewter Finish



PEWTER M140 £22 Hole Centre: 64mm L (mm): 105 D (mm): 31 H (mm): 31

IMPERIAL

CUP

D (mm): 28

M144 **£26** Hole Centre: 96mm L (mm): 140

PEWTER DISTRESSED

H (mm): 36 DISC **PEWTER**

M634 £10 Hole Centre: N/A L (mm): 36 D (mm): 27 H (mm): 36



^{6.} M656 **Orbit**, antique bronze

Sinks

Stainless Steel














Reversible | Inset | L: 1000 | W: 500 | BD: 200 MBU: 600 | Gauge: 0.7 | Includes: 90mm Orbit strainer waste, overflow and pipework, self adhesive foam sealing strip, fixing clips, tap hole blanking plug.



BRUSHED STEEL MSINKO02 £820

Reversible | Inset | L: 1000 | W: 500 | BD: 200 MBU: 600 | Gauge: 0.7 | Includes: 90mm Orbit strainer wastes, overflow and pipework, self adhesive foam sealing strip, fixing clips, tap hole blanking plug.



Undermount L: 423 | W: 423 | BD: 200 | MBU: 500 | Gauge: 0.6. Includes: Basket strainer waste, overflow, factory fitted worktop seal, fixing clips & tap hole blanking plug.



Reversible | Undermount L: 590 | W: 456| BD: 180 | MBU: 600 | Gauge: 0.6 Includes: Basket strainer wastes. overflow & fixing clips.

MATRIX RH 1.5 BOWL BRUSHED STEEL MSINKOO9 £990

Right Handed | Undermount/Low profile inset L: 570 | W: 440 | BD: 198 | MBU: 800 | Gauae: 1.0

Includes: 90mm Orbit strainer wastes, overflow and pipework, fixing clips.













MATRIX LH 1.5 BOWL BRUSHED STEEL MSINKO10 £990

Left Handed | Undermount/Low profile inset L: 570 | W: 440 | BD: 198 | MBU: 800 | Gauge: 1.0 Includes: 90mm Orbit strainer wastes, overflow and pipework, fixing clips.

TYDENT1.0 BOWL & DRAINER SATIN STEEL MSINKO13 £177

Reversible | Inset

L: 860 | W: 500 | BD: 160 | MBU: 450 | Gauge: 0.6 Includes: Basket strainer waste, overflow, factory fitted worktop seal, fixing clips & tap hole blanking plug.

TYDENT1.5 BOWL & DRAINER SATIN STEEL MSINKO14 £233

Reversible | Inset L: 860 | W: 500 | BD: 160 | MBU: 800 | Gauge: 0.6 Includes: Basket strainer waste, overflow, factory fitted worktop seal, fixing clips & tap hole blanking plug.

MATRIX 1.0 BOWL

BRUSHED STEEL MSINK062 £597


Not Handed | Undermount/Low profile inset L: 570 | W: 440 | BD: 198 | MBU: 800 | Gauge: 1.0 Includes: 90mm Orbit strainer wastes, overflow and pipework, fixing clips.

IXIS 1.0 BOWL BRUSHED STEEL MSINKO68 £690

Reversible | Inset | L: 1000 | W: 500 | BD: 180 MBU: 600 | Gauge: 0.8 | Includes: 90mm Orbit strainer waste, overflow and pipework, factory fitted rim worktop seal, fixing clips, tap hole blanking plug.

IXIS 1.5 BOWL BRUSHED STEELMSINK069 £759

Reversible | Inset | L: 1000 | W: 500 | BD: 173 MBU: 600 | Gauge: 0.8 | Includes: 90mm Orbit strainer waste, overflow and pipework, factory fitted rim worktop seal, fixing clips, tap hole blanking plug.



ALL PRICES ARE INCLUSIVE OF VAT AT THE APPLICABLE RATE

Composite







RUFFORD 1.0 BOWL COMPOSITE BLACK GRANITE

MSINK003 £467

Reversible | Inset L: 780 | W: 480 | BD: 180 | MBU: 450 Includes: Basket strainer waste, overflow & fixing clips.

DUNHAM 1.5 BOWL COMPOSITE BLACK GRANITE

MSINK004 £526

Reversible I Inset L: 950 | W: 480 | BD: 180 | MBU: 600 Includes: Basket strainer wastes, overflow & fixing clips.

DUNE 1.5 BOWL COMPOSITE GREY METALLIC GRANITE MSINK012 £920

Reversible | Inset L: 1000 | W: 500 | BD: 190 | MBU: 600 Includes: 90mm Orbit strainer wastes overflow and pipework, fixing clips.



0

(

0

COMPOSITE BLACK METALLIC GRANITE

MSINK070 £822 Reversible | Inset

L: 780 | W: 500 | BD: 180 | MBU: 450 Includes: Basket strainer waste, overflow & pipework, fixing clips.

XCITE 1.5 BOWL COMPOSITE BLACK METALLIC GRANITE

MSINK071 £881

XCITE 1.0 BOWL

Reversible I Inset L: 1000 | W: 500 | BD: 180 | MBU: 600 Includes: Basket strainer wastes, overflow & pipework, fixing clips.

XCITE 1.0 BOWL

COMPOSITE GREY METALLIC GRANITE

MSINK072 £890

Reversible I Inset L: 780 | W: 500 | BD: 180 | MBU: 450 Includes: Basket strainer waste, overflow & pipework, fixing clips.

XCITE 1.0 BOWL

COMPOSITE GREY METALLIC GRANITE

MSINK073 £955

Reversible | Inset

L: 1000 | W: 500 | BD: 180 | MBU: 600 Includes: Basket strainer wastes, overflow & pipework, fixing clips.



Ceramic



BELFAST 1.0 BOWL CERAMIC

MSINK011 £724

Not handed | Apron front/Undermount L: 595 | W: 455 | BD: 184 | MBU: 600 Includes: 60mm basket strainer waste and overflow.

SANDON 1.0 BOWL CERAMIC

MSINK063 £953



SANDON 1.5 BOWL CERAMIC

MSINK064 £905

Left hand main bowl | Undermount or inset L: 595 | W: 520 | BD: 175 | MBU: 800 Includes: Basket strainer waste, overflow and pipework.

MILFORD 1.0 BOWL CERAMIC


MSINK075 £713 Reversible | Inset

L: 860 | W: 500 | BD: 184 | MBU: 450 Includes: Basket strainer waste, overflow and pipework, tap hole blanking plug.

MILFORD 1.0 BOWL CERAMIC

MSINK076 £827

Reversible | Inset | L: 1000 | W: 500 | BD: 186 MBU: 600 Includes: Basket strainer wastes (half bowl services overflow), overflow and pipework, tap hole blanking plug.



Taps

Single Lever













Spout reach: 227mm Min. bar pressure: 0.3 3.0 bar flow rate: 19.83 I/min

ALTHIA MONO SINK MIXER CHROME MTAP104 £393

Tap height: 321mm Spout reach: 196mm Min. bar pressure: 0.75 3.0 bar flow rate: 09.90 I/min

ALTHIA MONO SINK MIXER MATT BLACK MTAP121 £541

Tap height: 321mm Spout reach: 196mm Min. bar pressure: 0.75 3.0 bar flow rate: 9.90 I/min

PRIME MONO SINK MIXER CHROME MTAP105 £355

Tap height: 254mm Spout reach: 188mm Min. bar pressure: 0.3 3.0 bar flow rate: 12.96 l/min

SEVERN MONO SINK MIXER CHROME MTAP108 £278

Tap height: 373mm Spout reach: 180mm Min. bar pressure: 0.3 3.0 bar flow rate: 14.49 I/min











ALTHIA MONO SINK MIXER BRUSHED BRASS MTAP122 £541

Tap height: 321mm Spout reach: 196mm Min. bar pressure: 0.75 3.0 bar flow rate: 9.90 I/min

FRACTION MONO SINK MIXER CHROME MTAP131 £505

Tap height: 298mm Spout reach: 218mm Min. bar pressure: 0.5 3.0 bar flow rate: 12.15 l/min

FRACTION MONO SINK MIXER MATT BLACK MTAP132 £565


Tap height: 298mm Spout reach: 218mm Min. bar pressure: 0.5 3.0 bar flow rate: 12.15 I/min

FRACTION MONO SINK MIXER BRUSHED BRASS MTAP133 £549

Tap height: 298mm Spout reach: 218mm Min. bar pressure: 0.5 3.0 bar flow rate: 12.15 I/min

SPEY MONO SINK MIXER CHROME/BLACK MTAP138 £478

Tap height: 467mm Spout reach: 188mm Min. bar pressure: 1.00 3.0 bar flow rate: 6.90 I/min



Dual Lever

















RISSLE MONO SINK MIXER CHROME MTAP101 £266

Tap height: 231mm Spout reach: 228mm

Min. bar pressure: 0.3 3.0 bar flow rate: 18.81 I/min

LUDLOW MONO SINK MIXER CHROME MTAP102 £426

Tap height: 355mm Spout reach: 190mm Min. bar pressure: 0.2 3.0 bar flow rate: 16.63 I/min

LUDLOW MONO SINK MIXER ANTIQUE BRONZE MTAP103 £502

Tap height: 355mm Spout reach: 190mm Min. bar pressure: 0.2 3.0 bar flow rate: 16.63 I/min

LINEAR FLAIR MONO SINK MIXER CHROME MTAP106 £402

Tap height: 303mm Spout reach: 236mm Min. bar pressure: 0.5 3.0 bar flow rate: 14.54 I/min

LINEAR FLAIR MONO SINK MIXER **BRUSHED STEEL**

MTAP125 **£418**

Tap height: 303mm Spout reach: 236mm Min. bar pressure: 0.5 3.0 bar flow rate: 14.54 I/min

BECK MONO SINK MIXER CHROME MTAP109 £241

Tap height: 350mm Spout reach: 190mm Min. bar pressure: 0.3 3.0 bar flow rate: 16.7 I/min

BECK MONO SINK MIXER BRUSHED NICKEL MTAP110 £297

Tap height: 350mm Spout reach: 190mm Min. bar pressure: 0.3 3.0 bar flow rate: 16.7 I/min

GLOBE MONO SINK MIXER CHROME

MTAP128 £367

Tap height: 399mm Spout reach: 216mm Min. bar pressure: 0.5 3.0 bar flow rate: 14.01 I/min

ALL PRICES ARE INCLUSIVE OF VAT AT THE APPLICABLE RATE

Tap height: 399mm Spout reach: 216mm Min. bar pressure: 0.5

PICO QUAD MONO SINK MIXER CHROME

MTAP134 **£283**

Tap height: 312mm 3.0 bar flow rate: 14.36 l/min

PICO QUAD MONO SINK MIXER

MTAP135 £336

Tap height: 312mm Spout reach: 192mm Min. bar pressure: 0.4 3.0 bar flow rate: 14.36 I/min

EDEN MONO SINK MIXER MATT BLACK

MTAP136 **£230**

Spout reach: 177mm Min. bar pressure: 0.3 3.0 bar flow rate: 16.97 I/min

EDEN MONO SINK MIXER

MTAP137 £134

Spout reach: 177mm Min. bar pressure: 0.3 3.0 bar flow rate: 16.97 I/min

OUSE MONO SINK MIXER CHROME

Tap height: 287mm

TYNE MONO SINK MIXER CHROME

MTAP140 £343

Tap height: 355mm Spout reach: 192mm Min. bar pressure: 0.3 3.0 bar flow rate: 22.34 I/min





3.0 bar flow rate: 14.01 I/min

MATT BLACK



GLOBE MONO SINK MIXER


MTAP130 **£546**

3.0 bar flow rate: 14.01 I/min




Spout reach: 192mm Min. bar pressure: 0.4






Tap height: 351mm







MTAP139 £164

Spout reach: 188mm Min. bar pressure: 287 3.0 bar flow rate: 17.74 I/min BIN SPECIFICATIONS ACCESSORIES

Bins, Drip & Cutlery trays

Pull Out Bins



BLOCK 2.0 PULL OUT BIN - 400MM 35LITRES

MBIN40 £553

Suitable for 400mm (w) cabinet size



BLOCK 2.0 PULL OUT BIN - 600MM 35LITRES + 35LITRES + 8LITRES + 8LITRES

MBIN60 **£680**

Suitable for 600mm (w) cabinet size

BLOCK 2.0 PULL OUT BIN - 500MM 35LITRES + 35LITRES

MBIN50 £630

Suitable for 500mm (w) cabinet size

Block 2.0 bins can be fixed directly to the door or installed inside a cabinet base with a hinged door.



Drip Trays



600MM UNDER SINK DRIPTRAY

MTRAY60 £28

Aluminum under sink cabinet protection for 600mm cab.



800MM UNDER SINK DRIPTRAY

MTRAY80 £38

Aluminum under sink cabinet protection for

Includes cut out for cabinet centre post.



1000MM UNDER SINK DRIPTRAY

MTRAY10 £53

Aluminum under sink cabinet protection for

Includes cut out for cabinet centre post.



Cutlery Trays




EXCELLENT CUTLERY TRAY

MCARBON500 £45 MCARBON600 £47 MCARBON800 £87 MCARBON900 £95 MCARBON1000 500mm Carbon Fibre 600mm Carbon Fibre 800mm Carbon Fibre 900mm Carbon Fibre



MSCOOP400 £31 MSCOOP500 £40 MSCOOP600 £50 MSCOOP800 £105 MSCOOP900 £105 MSCOOP1000 £110 400mm Scoop Tray 500mm Scoop Tray 600mm Scoop Tray 800mm Scoop Tray 900mm Scoop Tray 1000mm Scoop Tray













Hinges



TITUS HINGES, 110° SOFT CLOSE, CLIP ON

MTITUS110 £20 (per pair)



Accessories & Hinges



TITUS HINGES, 170° SOFT CLOSE, CLIP ON

MTITUS170 £30 (perpair)


 $Sold\ as\ a\ pack\ of\ 2.\ Includes:\ 170\ degree\ hinges,\ 16mm\ screws,\ 18mm\ mounting\ plates\ with\ Euro\ screws,$ hinge plate covers, cam plate covers.



TITUS HINGES, FRIDGE FREEZER

MTITUSAPP £18 (perpair)

Sold as a pack of 2. Includes: 100 degree hinges, 15mm screws, pre mounted Euro screws on hinge plate.



MBLUMAPPHINGE £24 (per pair)

Includes: 95 degree hinges, supplied with mounting plate and 16mm screws.



blum

Titus+







BLUM CLIP TOP BLUMOTION HINGE 110° CLIP-ON

MBLUM200 £25 (perpair)

Integrated BLUMOTION soft-close. Side/depth adjustment, height adjustment. Cup diamater: 35mm, cup depth: 13mm. Includes: Hinges x 2, Mounting Plates x 2, Boss & Arm Cover Caps x 2, Euro Screws x 2.

ALL PRICES ARE INCLUSIVE OF VAT AT THE APPLICABLE RATE

Cabinet Accessories



CABINET LEGS - 150MM BLACK, ADJUSTABLE MCABLEGS £5

Sold as a pack of 4.

PLINTH CLIPS & PLATES BLACK MPLINTHCLIP £3 Sold as a pack of 4.

Wirework

Lighting



SINGLE CHROME PULL OUT BASKET

MDY040 £158 MDY041 £170 MDY042 £186 MDY043 £193 MDY044 £209 MDY045 £235



DYNAMIC PULL OUT 150

MDY001 £157



DYNAMIC PULL OUT 300

MDY002 £215



DYNAMIC PULL OUT TOWER RAIL

MDY015 £197



DYNAMIC UNDERSINK PULL OUT

MDY013 £321

U shaped drawer basket w. plastic tray, 1000mm



DYNAMIC PULL OUT (L)

MDY020 £707


Left Hand (Lh door / Rh blank), min cab 900



DYNAMIC CORNER PULL OUT (R)

MDY021 £707

Right Hand (Rh door / Lh blank), min cab 900



MDY070 £661



DYNAMIC MAXIMA

MDY071 £684



3/4 CHROME CAROUSEL (non soft close)

MSWIVEL07 £198

3/4 carousel for 930 x 930 cab



1/2 CHROME CAROUSEL (non soft close) MSWIVEL08 £216

1/2 carousel for 900 - 1000 cab



COMBI SOFT CLOSE- SINGLE

(Two soft close units required per set of Combi shelves) MEL063 £40

Dvn/Elite Combi Soft Close Mechanism



ALL PRICES ARE INCLUSIVE OF VAT AT THE APPLICABLE RATE

DYNAMIC COMBI

(set of 2 shelves, soft close sold separately)

MDY065 **£662** MDY064 £662 450 Right, for 900 cab 450 Left, for 900 cab

MDY066 £694 MDY067 **£694**

500 Right, for 1000 cab 500 Left, for 1000 cab

Right: Right hand door / Left hand blank Left: Left hand door / Right hand blank





STEINA KEA LIGHT X 1 (2W) BRUSHED STEEL MKEA01 £61

25,000 hrs Lamp Life Span Light IP rating IP20
Driver Info - 6W - Max 3 lights per driver



STEINA KEA LIGHT X 2 (2W) BRUSHED STEEL MKEA02 £92

Lamp colour Cool White Lamp Life Span 25,000 hrs

Light IP rating IP20



STEINA KEA LIGHT X 3 (2W X 3) BRUSHED STEEL MKEA03 £118

Cool White Lamp Life Span 25,000 hrs

Driver Info - 6W - Max 3 lights per driver



Cool White 30,000 hrs IP20

Driver Info - 6W - Imput voltage 220-240VAC,



MQUADRO £51 Voltage

Lamp colour Lamp Life Span Cool White Light IP rating IP20



White Lamp Life Span 25,000 hrs Light IP rating IP20
Driver Info - 3W - Integrated driver, supports 4 lights

PICKA PLINTH X 4 ROUND (0.4W X 4) SILVER GREY

MPICKASQUARE £154

Voltage Lamp colou Lamp Life Span 25,000 hrs Light IP rating IP20

SOLDAN FLEXIBLE STRIP -2M



MSOLDAN002 £125

Voltage Lamp colour 12VDC

(7.2W) WHITE/CLEAR

Lamp Life Span 30,000 hrs Driver Info - 8W - IP20



Voltage Lamp colour Cool White

30,000 hrs



STEINA KEA LIGHT X 1 (2W) BRUSHED STEEL MDOWN01 £57

Lamp colour Lamp Life Span 25,000 hrs Light IP rating IP20
Driver Info - 6W - Max 3 lights per driver



Voltage Lamp Life Span 25,000 hrs Light IP rating Driver Info - 6W - Max 3 lights per driver

STEINA KEA LIGHT X 3 (2W) BRUSHED STEEL MDOWN03 £104

Cool White Lamp Life Span 25,000 hrs Light IP rating Driver Info - 6W - Max 3 lights per driver

STEEL SPACER FOR DOWNLIGHT BRUSHED STEEL MSPACER £4

STEINA TUBE LIGHT 227MM (4W) WHITE MTUBE227 £31

Cool White 25,000 hrs Lamp Life Span

STEINA TUBE LIGHT 538MM (9W) WHITE JTUBE538 £36

Voltage 220 - 240V Lamp Life Span 25.000 hrs Driver Info - Inside the fitting

STEINA TUBE LIGHT 838MM (13W) WHITE MTUBE838 £47

Cool White Lamp Life Span 25,000 hrs Light IP rating IP20 Driver Info - Inside the fitting







Lamp Life Span Light IP rating

ALL PRICES ARE INCLUSIVE OF VAT AT THE APPLICABLE RATE

ADDITIONAL INFORMATION

TERMS AND CONDITIONS OF SALE

Carridge

CREDIT ACCOUNTS / PAYMENT METHODS

Credit accounts are available on request subject to status. We accept BACS and all major credit and debit cards.

PRODUCT SAMPLES

Samples of our door ranges are available please contact your area sales manager or our sales team for details.

PRODUCT IMAGES

Our images can be made available to you for use in your own marketing material please contact your area sales manager or our sales team for details.

CARRIAGE COSTS

Cut off time for all orders is 2pm.

Carriage costs are EXCLUSIVE of VAT.



* Orders over £300 (excl. VAT) free of charge.

RIGID ORDERS

Orders UNDER £1500 are delivered to room of choice as standard FREE. Orders OVER £1500 are delivered by 2 people to room of choice as standard FREE.

SEMI ASSEMBLED ORDERS UNDER £300

| Order Value | Next Day | 3 Day |
|-------------|----------|-------|
| £0 - £80 | £20 | £10 |
| £81 - £299 | £45 | £35 |

VIEW OUR NATIONAL POSTCODE DELIVERY MATRIX



https://bit.ly/jigsawpcodematrix25



RE-DELIVERY

£70 - £250 dependent on order size due to customer not accepting or available to accept.

NEXT DAY PALLET CHARGES

£95 - £350 dependent on order size and location.

IMPORTANT: PLEASE NOTE

We make every attempt to ensure correct pricing within the Jigsaw Price List, however we reserve the right to change pricing without notice. In the event a product is listed at an incorrect price due to a typographical error, we reserve the right to refuse or cancel any orders placed for product listed at the incorrect price.

The Customer's attention is drawn in particular to the provisions of clause 14 and clause 7.3.

1. INTERPRETATION

1.1 In these Conditions and the Contract, the following definitions apply:

Sales Order Acknowledgment: has the meaning given in clause 2.3. Alternative Delivery Location: has the meaning given in Clause 6.3.

Business Day: a day (other than a Saturday, Sunday, public holiday, or Christmas shut down day) when banks in London are open for business.

Conditions: the terms and conditions set out in this document as amended from time to time in accordance with clause 22.

Contract: the contract between the Supplier and the Customer for the sale and purchase of the Goods in accordance with these Conditions, comprising of these Conditions, the Acceptance Notice (and if any) the Specification) which shall come into existence in accordance with Clause 2.3.

Customer: the person or firm who purchases the Goods from the Supplier. Customer Default: has the meaning given in

Clause 5.2. **Damaged Goods:** has the meaning given in

Clause 7.6(a). **Delivery Address:** has the meaning given in

Clause 6.2.

Delivery Date: has the meaning given in clause 6.5.

Faulty Goods: has the meaning given in Clause 7.4.

Force Majeure Event: has the meaning given in

Goods: the goods (or any part of them) set out in

Incorrectly Ordered Goods: has the meaning aiven in Clause 7.9.

Incorrectly Supplied Goods: has the meaning given in Clause 7.8.

given in Clause 7.8.

Order: the Customer's order for the Goods, as

Sample Goods: has the meaning given in Clause 12.1.
Specification: any specification for the Goods, including any related plans and drawings, painting and drilling, that is agreed in writing by the Customer and the Supplier, as modified by the Supplier from time to time in accordance with Clause 4.3

Supplier: TK Components Limited (registered in England and Wales with company number 02320087).

Warranty Period: has the meaning given in

Clause 7.1.

- 1.2 In these Conditions and the Contract, the following rules apply:
- (a) A person includes a natural person, corporate or unincorporated body (whether or not having separate legal personality).
- (b) A reference to a party includes its personal representatives, successors or permitted assigns.
- (c) A reference to a statute or statutory provision is a reference to such statute or provision as amended or re-enacted. A reference to a statute or statutory provision includes any subordinate legislation made under that statute or statutory provision, as amended or re-enacted.
- including, include, in particular or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding or following them and each of then shall be deemed to incorporate the expression without limitation.
- (e) A reference to writing or written includes e-mails.

2. BASIS OF CONTRACT

- 2.1 These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implie by trade, custom, practice or course of dealing.

 2.2 The Order constitutes an offer by the Customer
- 2.2 The Order constitutes an offer by the Custon to purchase the Goods in accordance with these Conditions.
- 2.3 A Contract shall not be formed until the Order is accepted in writing by the Supplier (Sales Order Acknowledgment) on which date the Contract will come into existence (Commencement Date). The Contract will only relate to those Goods set

- out in the Sales Order Acknowledgment.

 2.4 The Customer is responsible for ensuring that
 the terms of the Order and any applicable
 Specification whether the same is prepared by
 the Customer or the Supplier are complete and
- 2.5 The Supplier reserves the right to refuse any Order without providing a reason.
- 2.6 The Contract constitutes the entire understanding between the parties in relation to its subject matter and supersedes all (if any) subsisting agreements, arrangements, understandings, negotiation, decisions or correspondence (written or oral, express or implied) relating to the same.

 2.7 The Customer acknowledges that it has not
- relied on any warranty, statement, promise or representation made or given by or on behalf of the Supplier which is not specifically set out in the Contract. The Customer agrees and acknowledges that its only remedy in respect of those representations, statements, assurances or warranties set out in the Contract will be for breach of contract, in accordance with the terms of the Contract, provided always that nothing in this clause 2.7 shall exclude or limit the liability of the Supplier for any fraudulent misrepresentation or warranty fraudulently given and upon which the Customer can prove it has placed reliance.
- 2.8 Any samples, drawings, descriptive matter, or advertising produced by the Supplier and any descriptions or illustrations contained in the Supplier's catalogue or brochures (whether electronic or hard copy) are produced for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract or have any controtual force.
- 2.9 A quotation for the Goods given by the Supplie shall not constitute an offer. A quotation shall only be valid for a period of 30 Business Days from its date of issue.
- 2.10 In the event of a conflict, the following order of precedence shall apply to:
- (a) the Specification (if any);(b) the Sales Order Acknowledgment; and(c)the Conditions.

3. CUSTOMER'S AUTHORITY

3.1 The Customer expressly warrants that the persentering into the Contract on behalf of the Customer is authorised to accept the Contract not only for themselves and the Customer, but also as agents for and on behalf of all other persons who are, or may become, interested in the Goods, whether in whole or in part.

4. GOODS AND SPECIFICATION

 Any Goods set out in the Supplier's literature (whether electronic or hard copy) may change at any time.

To the extent that the Goods are manufactured

- in accordance with a Specification supplied by the Customer, the Customer shall indemnify the Supplier against all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other professional costs and expenses) suffered or incurred by the Supplier in connection with any claim made against the Supplier for actual or alleged infringement of a third party's intellectual property rights arising out of or in connection with the Supplier's use of the Specification. This clause 4.2 shall survive termination of the Contract.
- 4.3 The Supplier reserves the right to amend the Specification if required by any applicable statutory or regulatory requirements.
- 4.4 The Customer shall ensure that all Goods are installed in accordance with the manufacturer's installation instructions. Any installation advice provided by or on behalf of the Supplier is done so free of charge and on an informal basis only without any warranties or guarantees. The Supplier shall not be liable to the Customer for any damage, costs or loss incurred (so far as permitted by law), as a result of the Customer following any installation advice provided by or on behalf of the Supplier.

5. CUSTOMER'S OBLIGATIONS

5.1 The Customer shall:

 ensure that the terms of the Order and any applicable Specification are complete and accurate;

Terms & Conditions

- (b) co-operate with the Supplier in all matters relating to the supply of the Goods; (c)provide the Supplier, its employees, agents, consultants and sub-contractors with
- access to the Customer's premises, office accommodation and other facilities as reasonably required by the Supplier for the purposes of the Contract; (d) provide the Supplier with such information and materials as the Supplier may

reasonably require to supply the Goods and ensure that such information is accurate in

- all material respects.

 5.2 If the Supplier's performance of any of its obligations in respect of the supply of the Goods is prevented or delayed by any act or omission by the Customer or failure by the Customer to perform any relevant obligation (Customer Default):
- (a) the Supplier shall without limiting its other rights or remedies have the right to suspend delivery of the Goods until the Customer remedies the Customer Default, and to rely on the Customer Default relieve it from the performance of any of its obligations to the extent the Customer Default prevents or delays the Supplier's performance of any of its obligations;
 (b) the Supplier shall not be liable for any
- (b) the Supplier shall not be liable for any costs or losses sustained or incurred by the Customer arising directly or indirectly from the Supplier's failure or delay to perform any of its obligations as set out in this clause 5.2° and
- (c)the Customer shall reimburse the Supplier on written demand for any costs or losses sustained or incurred by the Supplier arising directly or indirectly from the Customer Default.

DELIVE

- 6.1 The Supplier shall ensure that:
- (a) each delivery of the Goods is accompanied by a dispatch note or invoice (as appropriate) which shows the invoice number and the date the invoice was raised, all relevant Customer and Supplier reference numbers, the type and quantity of the Goods (including the code number of the Goods, where applicable), special storage instructions (if any) and, if the Goods are being delivered by installments, the outstanding balance of Goods remaining to be delivered; and
- (b) If the Supplier requires the Customer to return any packaging materials to the Supplier, that fact is clearly stated on the dispatch note. The Customer shall make any such packaging materials available for collection at such times as the Supplier shall reasonably request. Returns of packaging materials shall be at the Supplier's expense.
- 6.2 Unless stated otherwise in the Sales Order
 Acknowledgment, the Customer shall collect
 the Goods from the Supplier's premises at Unit 3,
 Cranberry Drive, Denton, M34 3UL (the Delivery
 Address).

 6.3 The Supplier shall use its reasonable endeavours
- to deliver the Goods to the Delivery Address or such other location as the parties may agree (Alternative Delivery Location) on the dates set out in the Sales Order Acknowledgment or at such other dates and times as agreed between the parties. Notwithstanding the foregoing, the Supplier shall notify the Customer when the Goods are ready for delivery. The Customer agrees and acknowledges that any dates quoted for delivery are approximate only, and the time of delivery is not of the essence. The Supplier shall not be liable for any delay in delivery that is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.
- 4 Any special delivery requirements or difficulties in delivering (e.g. narrow doorways, stairs, restricted access) should be made known to the Supplier at the time of placing the Order and may be subject to additional costs. The Supplier

- cannot accept responsibility for any difficulties in delivery as a consequence of information or lack of information supplied by the Customer. 6.5 Delivery of the Goods shall be completed:
- (a) where the Goods are to be collected from the Delivery Address, the 3rd Business Day from the date of the Supplier's notification that the Goods are ready for collection (whether or not the Customer actually
- collects the Goods by such date); or

 (b) where the Goods are to be delivered to the
 Alternate Delivery Location, at the time
 of the Goods' arrival at the Alternative
 Delivery Location; (the Delivery Date).
- 6.6 Notwithstanding clause 6.3, if the Supplier fails to deliver the Goods its liability shall be limited to the costs and expenses incurred by the Customer in obtaining replacement goods of similar description and quality in the cheapest market available, less the price of the Goods. The Supplier shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.
- 6.7 If the Customer fails to accept delivery of the Goods in accordance with Clause 6.5, then except where such failure or delay is caused by a Force Majeure Event or the Supplier's failure to comply with its obligations under the Contract in respect of the Goods, the Supplier shall store the Goods until delivery takes place, and charge the Customer for all related costs and expenses (including insurance). Such charge to be equal to 15% of the value of the order.
- 6.8 If 14 Business Days after the day on which the Supplier notified the Customer that the Goods were ready for delivery, the Customer has not accepted or taken delivery of them, the Supplier may resell or otherwise dispose of part or all of the Goods and recover its reasonable storage and selling costs in respect of the Goods and:
- (a) Where the Customer has paid for the Goods in full, account to the Customer for any excess sums recovered over the price of the Goods and such storage and selling
- (b) Where there are insufficient funds to cover the storage or selling costs or where the Customer has not yet paid for the Goods in full, charge the Customer for any shortfall below the price of the Goods to cover such costs.
- 6.9 The Customer shall not be entitled to reject the Goods if the Supplier delivers up to and including 10% less than the quantity of Goods ordered, but a pro rata adjustment shall be made to the [Order invoice] on receipt of notice from the Customer that the wrong quantity of Goods was delivered.
- 6.10 The Supplier may deliver the Goods by installment which shall be invoiced and paid for separately. References in these Conditions to delivery of the Goods shall, where applicable, be read as to include reference to delivery of the Goods by installments. Each installment shall constitute a separate Contract and any delay in delivery or defect in an installment shall not entitle the Customer to cancel any other installment.

7. QUALITY

Warranty

- 7.1 The Supplier warrants that on delivery, and for a period of 6 years (or other period as expressly confirmed by the Supplier in writing in the Acceptance Notice) from the date of delivery (Warranty Period), the Goods shall:
 - (a) conform in all material respects with the Specification;
- (b) be free from material defects in design, material and workmanship; and
- (c)be of satisfactory quality (within the mean of the Sale of Goods Act 1979); and;
 (d) be fit for any purpose held out by the
- 7.2 The Supplier shall not be liable for the Goods' failure to comply with the warranty set out in

clause 7.1 in any of the following events: (CONTINUED OVERLEAF)

P42 P43

TERMS AND CONDITIONS OF SALE TERMS AND CONDITIONS OF SALE

Terms & Conditions

- (a) the Customer makes any further use of such with this clause 7;
- (b) the defect arises because the Customer failed to follow the Supplier's oral or written instructions as to the storage commissioning, installation, use and maintenance of the Goods (including all instructions in the technical guide and the door care guide as published by the Supplier) or (if there are none) good trade practice regarding the same
- (c)the defect arises as a result of the Supplier following any drawing, design or Specification supplied by the Customer;
- (d) the Customer works, alters, tailors or repairs such Goods (including drilling the Goods) without the written consent of the Supplier e) the defect arises as a result of fair wear
- and tear, willful damage, negligence, or abnormal storage or working conditions; or (f) the Goods differ from their description as a result of changes made to ensure
- they comply with applicable statutory or regulatory requirements. 7.3 Except as provided in this clause 7, the Supplier
- shall have no other liability to the Customer in respect of the quality of the Goods.

Faulty Goods

7.4 If the Customer gives notice in writing to the Supplier that some or all of the Goods do not comply with the warranty set out in clause 7.1 (Faulty Goods), the Supplier shall, at its option repair or replace the Faulty Goods, or refund the price of the Faulty Goods in full. The Supplier will not be responsible for any associated costs in relation to the replacement of Faulty Goods, If the Goods are found to have been Faulty Goods due to a fault of the Customer, damage caused by the Customer or are Faulty Goods due to an event set out in clause 7.2 above, the Goods will be returned to the Customer and the Customer will pay a handling charge to the Supplier.

Damaged Goods

- 7.5 The Supplier shall have no obligations arising under clauses 7.6 to 7.12 for any goods already installed by the Customer (where installed shall mean removed from packaging and fixed in 7.6 Subject to clause 7.7:
- (a) if the Goods are damaged (Damaged
 - Goods) the Customer must send a photograph to the Supplier within five Business Days of the Delivery Date of the consider whether to send a courier to ect the Damaged Goods; and
 - (b) if the Supplier is required to collect the notified within 5 Business Days of the date
 - (c) the Supplier is to be given a reasonable opportunity to examine such Damaged
 - (d) it is at the Suppliers discretion as to charged to the Customer if they return the Damaged Goods and the Damaged Goods are found to have been damaged due to an event set out in clause 7.2. If the they cannot be sold, the Damaged Goods Customer will pay a handling charge to
 - (e) the Damaged Goods should be returned
 - (f) the Customer (if asked to do so by the Supplier) returns the Damaged Good to the Supplier's place of business at the Customer's cost, the Supplier shall at its option, repair or replace the Damaged Goods, or refund the price of the Damaged Goods in full. The Supplier will not be responsible for any associated costs in relation to the replacement of the maged Goods. If the Damaged Goods have been made to the Customer's Specification and are found to have been damaged by the Customer or are

- Damaged Goods due to an event set out in clause 7.2, the Damaged Goods will be returned to the Customer and the Customer will pay a handling charge to the Supplier.
- 7.7 In the Event that the Supplier is required by the ustomer to attend and inspect the Damaged Goods after delivery to the Customer and damage is found to the Goods for which the Supplier is responsible, no charge for the site visit will be levied. If there is damage to the Goods or part thereof for which the Customer is esponsible or due to an event set out in clause 7.2, the Supplier may raise an invoice addressed to the Customer for £270 for each such site visit. rrectly Supplied Goods
- 7.8 If the Customer gives notice in writing to the Supplier within 14 Business Days of the Delivery Date that some or all of the Goods delivered were supplied incorrectly (Incorrectly Supplied Goods), the Supplier will, subject to verification that the Goods have been supplied incorrectly replace the Incorrectly Supplied Goods with the correct Goods and will arrange for the Incorrectly Supplied Goods to be collected from the Customer within a reasonable time period. Incorrectly Ordered Goods
- 7.9 If the Customer gives notice to the Supplier tha some or all of the Goods supplied were ordered incorrectly or are no longer needed (Incorrectly Ordered Goods), then the Supplier may (at its discretion) accept the return of the Incorrectly Ordered Goods, and where the Incorrectly Ordered Goods have been paid for, issue a Ordered Goods, subject to the following
- (a) the Customer notifies the Supplier of its desire to return the Incorrectly Ordered Goods in writing by no later than 28 Business Days of the Delivery Date;
- (b) the Supplier has confirmed to the Custome n writing that it will accept the return of the Incorrectly Ordered Goods (for the avoidance of doubt, the Supplie may refuse to accept any return at its
- (c) the Customer pays the collection charge being at the discretion of the Supplier (if
- (d) the Customer pays an administration charge equivalent to 15% of the value of
- the Incorrectly Ordered Goods: (e) if they have been delivered, the Incorrectly Ordered Goods are still within their original packaging, remain unopened and have
- suffered no damage: and (f) they are not Goods that fall within clauses 7.11 or 7.12.
- 7.10 If the conditions set out in clause 7.9 are not met, a credit note will not be issued by the not been delivered, the Customer will have notifies the Customer, in writing, that the Incorrectly Ordered Goods will not be accepted, to collect the Incorrectly Ordered Goods from are not collected within 14 Business Days from the date the Supplier notifies the Customer, writing, that the Incorrectly Ordered Goods will not be accepted, then Goods which have bee made to the Customer's Specification shall be oyed without prejudice to any claim the Supplier may have against the Customer.
- Any Goods which have been made to the Customer's Specification cannot be returned as Incorrectly Ordered Goods and a credit note shall not be issued for such Goods.
- 7.12 Any Incorrectly Ordered Goods that have been discontinued or are not in the Supplier's current Ordered Goods and a credit note shall not be issued for such Goods

Other Matters Relating to the Goods

7.13 Natural aging of the Goods means that they will patina over time, the Supplier is unable to augrantee that any replacement Goods will be of an identical match to the original colour and or finish of the Goods originally purchased by the Customer. In the event that any replacer

- Goods are supplied pursuant to this clause 7, then the Supplier's liability will be limited to the purchase price paid by the Customer in respec of the particular Goods. In the event that such replacement Goods are supplied, the Supplier accepts no liability as to conformity of the replacement Goods supplied to previous Goods
- 7.131 Natural aging of any paint to order products, means that they will patina over time and particularly after 3 months. The supplier is unable to augrantee that any replacement paint to order product will be of an identical match to the original colour of the good originally purchased by the Customer. In the event that any replacement goods are supplied pursuant to this clause 7, then the Supplier's liability will be limited to the purchase price paid by the Customer in respect of the particular Goods. In the event that such replacement Goods are supplied, the Supplier accepts no liability as to conformity of the replacement Goods supplied to previous Goods supplied.
- 7.14 The terms implied by sections 14 to 16 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the Contract.
- These Conditions shall apply to any repaired or replacement Goods supplied by the Supplier
- 7.16 Any refund or credit given pursuant to this clause 7, will be applied to the Customer's account within 14 Business Days of confirma from the Supplier in writing that such refund or redit note has been issued to the Custo
- 7.17 Any Goods returned to the Supplier's trade counter and will be subject to the foregoing provisions of this Clause 7 will be subject to this clause 7 must be pre-authorised by the Supplier's customer services department prio to the Customer returning the Goods. No Goods can be returned without a "return number" which will be issued to the Customer in writing by the Supplier if the return is approved.

8. TITLE AND RISK

- 8.1 The risk in the Goods shall pass to the Customer on the Delivery Date.
- 8.2 Title to the Goods shall not pass to the Customer until the Supplier has received:
- (a) payment in full (in cash or cleared funds) for the Goods: and
- (b) all other monies due to the Supplier from the Customer.
- 8.3 Until title to the Goods has passed to the Customer, the Customer shall: (a) hold the Goods on a fiduciary basis as the
 - Supplier's bailee: (b) store the Goods separately from all other goods held by the Customer so that they emain readily identifiable as the Supplier's
- property; (c)not remove, deface or obscure any identifying mark or packaging on or relating to the
- (d) maintain the Goods in satisfactory all risks for their full price from the date of
- (e) notify the Supplier immediately if it becomes ubject to any of the events listed in clause 13.2: and
- to the Goods as the Supplier may require from time to time, but the Customer may resell or use the Goods in the ordinary
- 8.4 If before title to the Goods passes to the any of the events listed in clause 13.2, or the reasonably believes that any suc event is about to happen and notifies the Customer accordingly, then, provided that the Goods have not been resold, or irrevocably rated into another product, and without limiting any other right or remedy the Supplier nay have, the Supplier may at any time require the Customer to deliver up the Goods and any other goods of the Supplier that the Customer may hold but in respect of which the Custome is not the beneficial owner of the same and, if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored, with or without notice. in order to recover them. The Supplier's

employees or agents shall have the right at any time to enter upon the premises of the Customer or of any third party where the Goods are stored, for the purpose of effecting such repo

PRICE AND PAYMENT

- 9.1 The price of the Goods shall be the price set out in the Sales Order Acknowledgment, or, if no price is quoted, the price set out in the Supplier's published price list in force as at the date of
- 9.2 The Supplier may, by giving notice to the Customer at any time up to 5 Business Days before delivery, increase the price of the Goods to reflect any increase in the cost of the Goods
- (a) any factor beyond the Supplier's control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs);
- (b) any request by the Customer to change the delivery date(s), quantities or types of Goods ordered, or the Specification; o (c) any delay caused by any instructions of the Customer or failure of the Customer to give the Supplier adequate or accurate
- rmation or instructions 9.3 The price of the Goods is exclusive of the costs and charges of packaging, insurance and transport of the Goods (including unloading of Goods), which shall be invoiced to the Customer.
- 9.4 The price of the Goods is exclusive of amounts in espect of value added tax (VAT). The Customer shall, on receipt of a valid VAT invoice from the Supplier, pay to the Supplier such additional mounts in respect of VAT as are chargeable or the supply of the Goods.
- The Supplier may invoice the Custome for the Goods on or at any time after the
- 9.6 The Customer shall pay the invoice in full and in cleared funds by the due date as stated on the invoice, or within 30 Business Days of the date of the invoice, whichever is the earliest. Paymen shall be made to the bank account nominated in writing by the Supplier, or by cash or credit card. Time of payment is of the essence.
- If the Customer fails to make any payment due to the Supplier under the Contract by the due interest on the overdue amount in accordance with the Late Payment of Commercial Debts (Interest) Act 1998 and the Supplier will be subsequent contracts and revise any gareed been received. The Customer shall pay the nterest together with the overdue amount
- 9.8 The Customer shall pay all amounts due under withholding except as required by law and any credit, set-off or counterclaim against the upplier in order to justify withholding payment of any such amount in whole or in part. The other rights or remedies it may have, set off any any amount payable by the Supplier to the

10. CANCELLATION OF ORDERS

10.1 The Supplier will use reasonable endeavours o meet Customers' individual requirements, but the Supplier shall be under no obligation any Contract or any part of a Contract. a Contract is agreed by the Supplier, it is on amendment charge may be levied.

11. NON-ARRIVAL OF GOODS

11.1 Where the Supplier is responsible for delivering the Goods to the Alternate Delivery Location the Customer must inform the Supplier within 5 Business Days of the date of advice of dispatch in the event of non-arrival of the Goods at the Alternate Delivery Location otherwise no claim

12. SAMPLE GOODS

12.1 The Suppler may supply to the Customer, at the Supplier's own expense, samples, sales literature and other documents and information to enable the Customer to promote and sell the goods (Sample Goods). The Sample Goods shall at all times belong to the Supplier and the Custome shall hold the Sample Goods on a fiduciary basis as the Supplier's bailee.

- 12.2 Where the Supplier provides Sample Goods to the Customer, the Customer shall:
- (a) use the Samples Goods only for the
- urpose of promoting and retailing goods; (b) at it's own expense, keep all Sample Goods conditions required by the Supplier or (in the absence of any such notification) which are appropriate for their storage and security, separately from other goods and clearly indicated as belonging to the
- (c)at its own expense, insure and keep insured all of the Supplier's property (including the Sample Goods) which may at any time be in the Customer's possession, custody or control with a reputable insurer to its full replacement value against all the risks for which a prudent trader would insure his own property of the same type, to show to the Supplier on demand the policy document and the most recent receipt for premium, to perform any obligation required of it under the terms of such insurance, to do nothing which could invalidate any such insurance and to pay to the Supplier promptly on receipt the proceeds of any insurance claim made in respect thereof, holding the same pending such payment in trust for the
- (d) allow the Supplier's authorised have access to the Customer's premises (or to arrange for the Supplier's authorised representatives to have access to other relevant premises) for the purpose of inspecting the Sample Goods, to take
- (e)observe all directions and instructions given use and display of the Sample Goods: maintain, on its own account, an inventory
- of the Sample Goods; (g) return the Sample Goods to the Supplier immediately on demand (at its own cost).

13. CUSTOMER'S INSOLVENCY

- 13.1 If the Customer becomes subject to any of reasonably believes that the Customer is about to become subject to any of them and notifies the Customer accordinaly, then, without the Supplier, the Supplier may terminate the under the Contract or under any other contract incurring any liability to the Customer, and all anding sums in respect of Goods delivered to the Customer shall become immediately due.
- 13.2 For the purposes of clause 13.1, the relevant
- (a) the Customer suspends, or threaten to suspend, payment of its debts, or is unable to pay its debts as they fall due o admits inability to pay its debts, or (being debts within the meaning of section 123 individual) is deemed either unable to pay its debts or as having no reasonable prospect of so doing, in either case, Insolvency Act 1986, or (being a partnership) foregoing apply;
- with all or any class of its creditors with a view to rescheduling any of its debts or makes a proposal for or enters into any compromise or arrangement with its creditors other than (where the Customer is a company) where these events take place for the sole purpose of a scheme for

with one or more other companies or the

- construction of the Customer;
- (d) (being a company) a petition is filed, a notice is given, a resolution is passed, or an order is made, for or in connection with the winding up of the Customer, other than for the sole purpose of a scheme for a solvent amalgamation of the Customer with one or more other companies or the solvent econstruction of the Customer;
- (e)(being an individual) the Customer is the subject of a bankruptcy petition or order;
- a creditor or encumbrancer of the Customer attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced or or sued against, the whole or any part of its assets and such attachment or process is not discharged within 14 Business Days;
- (g) (being a company) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator is appointed over the Customer
- (h) (being a company) a floating charge holder over the Customer's assets has become entitled to appoint or has appointed an administrative receiver: (i) a person becomes entitled to appoint a

receiver over the Customer's assets or a

- receiver is appointed over the Customer's (j) any event occurs, or proceeding is taken, with respect to the Customer in any jurisdiction to which it is subject that has an effect equivalent or similar to any of the
- 13.2(h) (inclusive): (k)the Customer suspends, threatens to suspend, ceases or threatens to cease to carry on all r substantially the whole of its business;

vents mentioned in clause 13.2(a) to clause

- the Customer's financial position deteriorates to such an extent that in the Supplier's opinion the Customer's capability to adequately fulfill its obligations unde the Contract has been placed in jeopardy:
- (m) (being an individual) the Customer dies or. by reason of illness or incapacity (whether mental or physical), is incapable of managing his or her own affairs or become a patient under any mental health
- 13.3 The Supplier may terminate the Contract:
- (a) if the Customer commits a material breach of any term of the Contract and (if such a oreach is remediable) fails to remedy that breach within 7 Business Days of that party being notified in writing to do so; and (b) with immediate effect by giving written
- tice to the Customer if the Customer fails to pay any amount due under the Contract between the Supplier and the Customer on the due date for payment.
- 13.4 On termination of the Contract for any reason, Supplier all of the Supplier's outstanding unpaid
- 13.5 Termination of the Contract, however arisina shall not affect any of the parties' rights and remedies that have accrued as at termination survive termination of the Contract shall ntinue in full force and effect

14. LIMITATION OF LIABILITY

- 14.1 Nothing in these Conditions shall limit or exclude the Supplier's liability for
 - (a) death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as
- (b) fraud or fraudulent misrepresentation (c)breach of the terms implied by section 12 of the Sale of Goods Act 1979; (d) defective products under the Const
- Protection Act 1987; or (e)any matter in respect of which it would be unlawful for the Supplier to exclude or

- 14.2 Subject to clause 14.1:
- (a) the Supplier shall under no circumstance whatsoever be liable to the Customer, whether in contract tort (including negligence), breach of statutory duty, or therwise, for any loss of profit, or any indirect or consequential loss arising unde or in connection with the Contract; and

Terms & Conditions

- (b) the Supplier's total liability to the Custome in respect of all other losses arising unde or in connection with the Contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed 125% of the amount paid by the Customer for the Goods that are the subject of the Contract
- 14.3 This clause 14 shall survive termination of the

Neither party shall be liable for any failure or delay

15. FORCE MAJEURE

in performing its obligations under the Contract to the extent that such failure or delay is caused by a Force Majeure Event, A Force Majeure Event means any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable, including strikes, lock-outs or other industrial disputes (whether involving its own workforce or a third party's), failure of energy sources or transport network, acts of God, war, terrorism, riot, civil commotion, interference by civil or military authorities, national or internationa calamity armed conflict malicious damage breakdown of plant or machinery, nuclear chemical or biological contamination, sonic boom explosions, collapse of building structures, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions or default of suppliers

- 16.1 Each party undertakes that it shall not at any time disclose to any person any confidential information concerning the business, affairs, prices, costs, customers, clients or suppliers of the other party,
- except as permitted by clause 16.2. 16.2 Each party may disclose the other party's confidential information:
 - (a) to its employees, officers, representatives or advisers who need to know such nformation for the purposes of exercising the party's rights or carrying out its obligations under or in connection with this gareement, Each party shall representatives or advisers to whom it discloses the other party's confide information comply with this clause 16.2:
 - (b) as may be required by law, a court governmental or regulatory authority.
- 16.3 No party shall use any other party's confidential information for any purpose other than to exercise its rights and perform its obligations under or in connection with the Contract.

17. ASSIGNMENT AND SUBCONTRACTING

- 17.1 The Supplier may at any time assian, transfer, charge, subcontract or deal in any other ma with all or any of its rights or obligations under
- 17.2 The Customer may not assian, transfer, charge subcontract or deal in any other manner with all or any of its rights or obligations under the Contract without the prior written consent of the Supplier.

18. NOTICES

party under or in connection with the Contract shall be in writing, addressed to that party at its registered office (if it is a company) or its principal place of business (in any other case) or such other address as that party may in accordance with this clause, and shall be delivered personally, sent by pre-paid first class

- post, recorded delivery, commercial courier, fax
- 18.2 A notice or other communication shall be deemed to have been received: if delivered personally, when left at the address referred to n clause 18.1; if sent by pre-paid first class pos or recorded delivery, at 9.00 am on the second Business Day after posting; if delivered by commercial courier, on the date and at the time that the courier's delivery receipt is signed; or if sent by fax or e-mail, one Business Day after
- 18.3 The provisions of this clause shall not apply to the service of any proceedings or other documents in any legal action.

19. SEVERANCE

- 19.1 If any court or competent authority finds that any provision of the Contract (or part of any provision) is invalid, illegal or unenforceable that provision or part-provision shall, to the extent required, be deemed to be deleted and the validity and enforceability of the othe provisions of the Contract shall not be affected
- 19.2 If any invalid, unenforceable or illegal provision of the Contract would be valid, enforceable and legal if some part of it were deleted, the provision shall apply with the minimum odification necessary to make it legal, valid and enforceable

20. WAIVER

20.1 A waiver of any right or remedy under the Contract is only effective if given in writing and shall not be deemed a waiver of any subsequen breach or default. No failure or delay by a party to exercise any right or remedy provided unde the Contract or by law shall constitute a waive of that or any other right or remedy, nor shall it preclude or restrict the further exercise of that or any other right or remedy. No single or partia exercise of such right or remedy shall preclude or restrict the further exercise of that or any other right or remedy.

21. THIRD PARTY RIGHTS

21.1 A person who is not a party to the Contract shall not have any rights under or in connection with it

22. VARIATION

22.1 Except as set out in these Conditions, any ariation to the Contract, including the conditions, shall only be binding when gareed in writing and signed by the Supplier.

23. GOVERNING LAW AND JURISDICTION

23.1 The Contract, and any dispute or claim arising out of or in connection with it or its subject natter or formation (including non-contractual disputes or claims), shall be governed by, and the parties irrevocably submit to the exclusive

P44 **P**45

Care Instructions

End User Care Instructions

CLEANING

We recommend the following door cleaning instructions for all of our doors:

Clean the doors using only a solution of 95% luke warm water with no more than 5% soap

 $\textbf{\textbf{Do not}} \ \text{spray anything onto your doors - this includes the solution recommended above}$

Use a clean damp (not wet) cloth

Dry with a soft clean cloth. If it is a timber door run the cloth along the grain direction $% \left(1\right) =\left(1\right) \left(1\right) \left($

Any cooking marks must be wiped immediately

Do not allow liquids to seep into joints of doors, wipe any spillages immediately

Do not use any of the products listed below to clean the door as it may mark and damage the surface:

Wax furniture polish

Bleach / chlorine based cleaning products

Abrasive cleaners

Solvents

Multi-purpose cleaners

Alcohol based cleane

Ammonia or any other similar product

Scouring pads or abrasive cloths

ENVIRONMENTAL INFORMATION

Please be aware that localised or intense heat/steam can damage fascias, subsequently the use of small appliances such as kettles, toasters etc. in close proximity to your kitchen fascias should be avoided. Doors should not be exposed to extreme temperature changes.

Installer Care Instructions

INSTALLER CARE INSTRUCTIONS

Before commencing any work on doors or accessories, i.e. hinge boring, handle installation, cutting etc. please inspect the product thoroughly, making sure it meets your requirements for colour consistency and that it is free from scratches or blemishes. Once the product has been altered in any way from the state it was supplied it cannot be replaced.

CARE WHEN FITTING

Always handle doors / drawers with care to avoid damage.

When fitting hinges and handles to doors / drawers please ensure doors are placed on a clean and smooth cushioned surface to avoid scratches to the product.

FOIL / OVER LACQUERED DOORS

Some doors may have a protective film on the face. Direct exposure to sunlight may cause an adverse effect therefore it is recommended you remove this film as soon as possible after fitting.

ENVIRONMENTAL INFORMATION

Newly plastered rooms, plaster repairs, floor screeding, renovations, etc should be left to dry out thoroughly before installation of doors, whatever their material. When fitting doors adjacent to an oven, a suitable heat shield must be used.

DOOR COLOUR AND UV LIGHT

Some doors may have a protective film on the face. Direct exposure to sunlight may cause an adverse effect therefore it is recommended you remove this film as soon as possible after fitting.

DOOR STORAGE

Doors should be stored on a stable flat stillage in a horizontal position. Please ensure doors are placed in a cool and dry area.



